

## Section 5: Selected Chronic Disabilities and Handicapping Conditions

### Introduction

This section of the report provides information on the prevalence of selected chronic disabilities and handicapping conditions in children as of year-end, 2002. These conditions, which generally manifest in childhood, are now only reported to the HSR for individuals aged 19 years old or younger. In contrast to the conditions shown in the previous sections of this report, many of the disabilities presented here do not have a defined genetic basis; they are either descriptive of a physical handicap or a childhood disease. It should be noted, however, that some of the conditions presented in this section do result from congenital anomalies or genetic conditions. This means, for example, that counts for mental retardation will include individuals with Down's or other syndromes where mental retardation is a factor. Similarly, the categories of vision impairment include cases with congenital anomalies of the eye that cause functional disability, as well as visual impairments caused by cancer, infection, or injury.

The selected chronic disabilities and handicapping conditions include some that affect vision, hearing, speech, or mobility, as well as broader conditions such as cerebral degenerations. The amount of impairment can range from very slight to extremely severe for any of these handicapping conditions. The conditions include:

- retinoblastoma (a tumour originating in the retina of the eye)
- hemangioma and lymphangioma (specific types of tumours)
- neurofibromatosis and Von Recklinghausen's disease (marked by the formation of soft tumours over the entire body)
- diabetes mellitus
- disorders of adrenal glands
- Tourette's syndrome
- hyperkinetic syndrome
- stuttering and specific developmental delays (including dyslexia and specific difficulties in spelling or arithmetic)
- mental retardation
- childhood cerebral degenerations and acquired hydrocephalus (accumulation of fluid in the brain)
- infantile cerebral palsy
- hemiplegia
- quadriplegia
- paraplegia
- other paralytic syndromes
- epilepsy
- retrolental fibroplasia (a condition characterized by growth of tissue behind the lens of the eye due to excessively high concentrations of oxygen in the care of premature infants)
- blindness, strabismus, and other visual impairments
- abnormal auditory perception and deafness
- juvenile rheumatoid arthritis
- disorders of muscle, ligament and fascia
- osteochondropathies (diseases involving conversion of cartilage into bone or the abnormal formation of bone)
- other acquired deformities of limbs (including traumatic amputations)
- curvature of the spine

The tables in this section provide prevalence counts for selected chronic disabilities and handicapping conditions in children (age less than 20 years old) as of year-end, 2002, as reported to the HSR. Table 62 provides counts by age group and gender at the provincial level. Tables providing the same information for each HA and HSDA follow. Counts could not be provided by local health area because of the small numbers of chronic disabilities and handicapping conditions in children at the HSDA level. Geographic assignment was based on the address from the last contact with an HSR reporting source; individuals who had died were excluded. If an individual had more than one chronic disability or handicapping conditions within a category, they were only counted once for that category. However, individuals with chronic disabilities and handicapping conditions in more than one category were counted in each category.

The reader is reminded that tables in this section reflect the information reported to the HSR and should not be interpreted as complete provincial or regional statistics. The Health Status Registry needs to receive registrations from sources providing health services to children to get information on the prevalence of disabilities in the province. Chronic disabilities and handicapping conditions that are not brought to the attention of reporting sources will have poor ascertainment (serious under-reporting). The reader can refer to Table 1 for a list of sources and the number of diagnoses they reported to the HSR over the last five years.

The reader is also reminded that variability in the level of reporting will contribute to differences at the sub provincial level. Additional caveats affecting the data can be found in the Guide to Data Interpretation in the General Information section at the beginning of this report. Appendix I provides ICD codes for chronic disabilities and handicapping conditions shown in this section of the report.

In 2002 the Health Status Registry began to collect data regarding diagnosed Autism Spectrum Disorder cases in the Province. The British Columbia Vital Statistics Agency is in the process of developing reporting sources throughout British Columbia that will provide the required data.

## Highlights

There were 26,374 children (14,611 males and 11,569 females) with one or more of the selected chronic disabilities or handicapping conditions living in British Columbia at year-end, 2002. These children accounted for a total of 40,734 diagnoses.

More than a third (38.2%) of the reported diagnoses of selected chronic disabilities or handicapping conditions were in children between 15 and 19 years of age, and nearly a third (31.8%) were 10 to 14 years old. The small number of infants (less than one year of age) with the selected chronic disabilities and handicapping conditions (1.1%) reflects the tendency for diagnosis of many of these conditions to be delayed until later in childhood.

Gender differences can be seen in the reporting of several chronic disabilities and handicapping conditions. Diagnoses of retinoblastoma, Tourette's syndrome, hyperkinetic syndrome, developmental delays, quadriplegia, paraplegia, and osteochondropathies were more common in boys (who accounted for 60.8%, 85.0%, 79.2%, 63.2%, 60.6%, 63.7%, and 65.7% of these diagnoses respectively) while diagnoses of rheumatoid arthritis and curvature of the spine were more common in girls (accounting for 60.2% and 66.1% of these diagnoses).

Blindness and visual impairments other than retrolental fibroplasia were the handicapping conditions most frequently reported to the HSR with 11,127 diagnoses accounting for more than a quarter (27.3%) of the chronic disabilities and handicapping conditions in children. The HA with the most diagnoses was 02 Fraser (with 4,523); 23 Fraser South and 22 Fraser North were the HSDAs with the largest numbers of blindness and visual impairments reported in children (with 2,058 and 1,592 diagnoses respectively).

Epilepsy was the second most frequently reported condition with 5,857 diagnoses in children accounting for 14.4% of the chronic disabilities and handicapping conditions. The HA with the most diagnoses of epilepsy in children was 02 Fraser (with 2,045); 23 Fraser South, 32 Vancouver, and 22 Fraser North were the HSDAs with the largest number of epilepsy diagnoses (with 918, 744, and 691 respectively).

Developmental delays were the third most frequently reported group of childhood chronic disabilities and handicapping conditions, with 4,742 diagnoses. HAs 02 Fraser (with 1,498 diagnoses), and 04 Vancouver Island (with 1,037), and 03 Vancouver Coastal (1,069) each had more than a thousand diagnoses of developmental delays. HSDAs 23 Fraser South (with 709 diagnoses), 32 Vancouver (with 583), 41 South Vancouver Island (577), and 22 Fraser North (501) each had more than five hundred diagnoses of developmental delays.

Other groups of chronic disabilities and handicapping conditions with more than a thousand diagnoses in children were hyperkinetic syndrome (with 2,596 diagnoses), abnormal auditory perception and deafness (2,420 diagnoses), diabetes mellitus (2,052), infantile cerebral palsy (2,016), mental retardation (1,871), hemangioma and lymphangioma (1,538), and other acquired deformities of limbs (1,215).

Table 62  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**Provincial Total**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	1	5	8	10	7	31	0.1
	F	-	3	4	8	5	20	0.0
	T	1	8	12	18	12	51	0.1
Hemangioma and lymphangiona	M	15	111	169	171	228	694	1.7
	F	21	191	188	200	235	835	2.0
	T	36	308	359	372	463	1,538	3.8
Neurofibromatosis/ von Recklinghausen's	M	-	8	18	27	15	68	0.2
	F	1	6	18	17	26	68	0.2
	T	1	14	39	51	47	152	0.4
Diabetes mellitus	M	1	54	210	320	495	1,080	2.7
	F	-	45	174	285	463	967	2.4
	T	1	99	388	606	958	2,052	5.0
Disorders of adrenal glands	M	3	8	23	40	40	114	0.3
	F	1	19	21	26	38	105	0.3
	T	4	28	44	66	78	220	0.5
Tourette's syndrome	M	-	-	35	139	166	340	0.8
	F	-	-	3	23	33	59	0.1
	T	-	-	38	163	199	400	1.0
Hyperkinetic syndrome	M	-	12	183	770	1,091	2,056	5.0
	F	-	2	31	181	314	528	1.3
	T	-	14	216	955	1,411	2,596	6.4
Developmental delays	M	2	157	521	1,072	1,245	2,997	7.4
	F	7	76	308	555	678	1,624	4.0
	T	9	233	877	1,681	1,942	4,742	11.6
Mental retardation	M	39	168	228	256	336	1,027	2.5
	F	22	110	153	211	306	802	2.0
	T	64	287	399	471	650	1,871	4.6
Childhood cerebral degenerations and acquired hydrocephalus	M	5	75	133	116	104	433	1.1
	F	12	37	91	75	104	319	0.8
	T	17	112	225	192	208	754	1.9
Infantile cerebral palsy	M	3	73	244	343	428	1,091	2.7
	F	2	62	179	336	338	917	2.3
	T	5	137	428	679	767	2,016	4.9
Hemiplegia	M	2	16	58	94	107	277	0.7
	F	2	14	45	90	87	238	0.6
	T	4	30	105	184	195	518	1.3
Quadriplegia	M	1	4	12	24	36	77	0.2
	F	1	4	10	17	18	50	0.1
	T	2	8	22	41	54	127	0.3
Paraplegia	M	1	4	4	12	37	58	0.1
	F	-	-	4	10	19	33	0.1
	T	1	4	8	22	56	91	0.2
Other paralytic syndromes	M	2	9	50	72	100	233	0.6
	F	1	9	55	75	99	239	0.6
	T	3	18	107	147	199	474	1.2
Epilepsy	M	29	354	725	896	1,122	3,126	7.7
	F	39	341	636	748	947	2,711	6.7
	T	68	696	1,371	1,649	2,073	5,857	14.4
Retrolental fibroplasia	M	35	60	38	49	66	248	0.6
	F	34	42	39	60	66	241	0.6
	T	69	102	77	109	132	489	1.2
All other visual impairments/ blindness	M	52	429	1,275	1,948	1,924	5,628	13.8
	F	51	389	1,273	1,990	1,753	5,456	13.4
	T	103	818	2,558	3,951	3,697	11,127	27.3
Abnormal auditory perception and deafness	M	9	75	287	453	542	1,366	3.4
	F	11	53	179	349	442	1,034	2.5
	T	20	130	471	807	992	2,420	5.9
Rheumatoid arthritis	M	-	-	16	38	79	133	0.3
	F	-	9	28	69	95	201	0.5
	T	-	9	44	107	174	334	0.8
Disorders of muscle, ligament and fascia	M	-	5	51	62	120	238	0.6
	F	-	6	26	57	99	188	0.5
	T	-	12	77	119	220	428	1.1
Osteochondropathies	M	-	2	42	98	241	383	0.9
	F	-	-	16	60	124	200	0.5
	T	-	2	58	158	365	583	1.4
Other acquired deformities of limbs	M	-	9	83	217	367	676	1.7
	F	1	14	69	188	261	533	1.3
	T	1	23	155	406	630	1,215	3.0
Curvature of spine	M	1	10	34	66	118	229	0.6
	F	3	4	37	117	288	449	1.1
	T	4	14	72	183	406	679	1.7
<b>Total Diagnoses</b>	<b>M</b>	<b>201</b>	<b>1,648</b>	<b>4,447</b>	<b>7,293</b>	<b>9,014</b>	<b>22,603</b>	<b>55.5</b>
	<b>F</b>	<b>209</b>	<b>1,436</b>	<b>3,587</b>	<b>5,747</b>	<b>6,838</b>	<b>17,817</b>	<b>43.7</b>
	<b>T</b>	<b>413</b>	<b>3,106</b>	<b>8,150</b>	<b>13,137</b>	<b>15,928</b>	<b>40,734</b>	<b>100.0</b>
<b>Total Cases</b>	<b>M</b>	<b>143</b>	<b>1,160</b>	<b>2,964</b>	<b>4,685</b>	<b>5,659</b>	<b>14,611</b>	
	<b>F</b>	<b>135</b>	<b>1,038</b>	<b>2,369</b>	<b>3,640</b>	<b>4,387</b>	<b>11,569</b>	
	<b>T</b>	<b>281</b>	<b>2,216</b>	<b>5,406</b>	<b>8,392</b>	<b>10,079</b>	<b>26,374</b>	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 63  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**01 Interior Health Authority**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	-	2	2	0.0
	F	-	1	2	-	-	3	0.0
	T	-	1	2	-	2	5	0.1
Hemangioma and lymphangiona	M	1	19	24	37	38	119	1.7
	F	4	41	36	21	58	160	2.3
	T	5	61	60	59	96	281	4.1
Neurofibromatosis/ von Recklinghausen's	M	-	1	4	5	3	13	0.2
	F	-	-	3	1	5	9	0.1
	T	-	1	7	7	9	24	0.3
Diabetes mellitus	M	-	12	42	77	103	234	3.4
	F	-	8	46	59	96	209	3.0
	T	-	20	92	136	199	447	6.5
Disorders of adrenal glands	M	-	1	6	9	9	25	0.4
	F	-	4	6	4	10	24	0.3
	T	-	5	12	13	19	49	0.7
Tourette's syndrome	M	-	-	7	43	50	100	1.5
	F	-	-	-	6	6	12	0.2
	T	-	-	7	50	56	113	1.6
Hyperkinetic syndrome	M	-	1	34	160	254	449	6.5
	F	-	-	8	35	96	139	2.0
	T	-	1	42	195	351	589	8.5
Developmental delays	M	-	16	71	134	183	404	5.9
	F	1	6	41	58	121	227	3.3
	T	1	22	121	201	307	652	9.5
Mental retardation	M	8	16	34	31	59	148	2.1
	F	2	12	29	40	51	134	1.9
	T	10	28	64	71	113	286	4.1
Childhood cerebral degenerations and acquired hydrocephalus	M	-	12	24	15	20	71	1.0
	F	1	11	15	11	27	65	0.9
	T	1	23	39	26	47	136	2.0
Infantile cerebral palsy	M	-	11	49	48	64	172	2.5
	F	-	9	27	62	72	170	2.5
	T	-	20	76	110	136	342	5.0
Hemiplegia	M	1	3	7	10	22	43	0.6
	F	-	2	8	11	15	36	0.5
	T	1	5	15	21	37	79	1.1
Quadriplegia	M	-	2	1	4	6	13	0.2
	F	1	-	2	1	5	9	0.1
	T	1	2	3	5	11	22	0.3
Paraplegia	M	1	-	1	1	12	15	0.2
	F	-	-	-	1	3	4	0.1
	T	1	-	1	2	15	19	0.3
Other paralytic syndromes	M	1	1	12	10	21	45	0.7
	F	-	4	7	13	19	43	0.6
	T	1	5	19	23	40	88	1.3
Epilepsy	M	7	73	118	139	179	516	7.5
	F	2	51	113	118	157	441	6.4
	T	9	124	233	259	337	962	14.0
Retrolental fibroplasia	M	1	6	2	6	10	25	0.4
	F	6	3	6	4	8	27	0.4
	T	7	9	8	10	18	52	0.8
All other visual impairments/ blindness	M	5	50	192	329	304	880	12.8
	F	9	50	198	335	262	854	12.4
	T	14	100	391	665	566	1,736	25.2
Abnormal auditory perception and deafness	M	1	11	29	68	146	255	3.7
	F	2	11	17	42	114	186	2.7
	T	3	22	46	111	264	446	6.5
Rheumatoid arthritis	M	-	-	5	5	13	23	0.3
	F	-	-	6	15	17	38	0.6
	T	-	-	11	20	30	61	0.9
Disorders of muscle, ligament and fascia	M	-	1	9	7	31	48	0.7
	F	-	-	1	7	21	29	0.4
	T	-	1	10	14	53	78	1.1
Osteochondropathies	M	-	-	6	13	41	60	0.9
	F	-	-	3	10	30	43	0.6
	T	-	-	9	23	71	103	1.5
Other acquired deformities of limbs	M	-	-	16	31	55	102	1.5
	F	-	-	3	27	58	88	1.3
	T	-	-	19	58	114	191	2.8
Curvature of spine	M	-	2	10	9	32	53	0.8
	F	2	-	7	16	57	82	1.2
	T	2	2	17	25	89	135	2.0
<b>Total Diagnoses</b>	<b>M</b>	26	238	703	1,191	1,657	3,815	55.3
	<b>F</b>	30	213	584	897	1,308	3,032	44.0
	<b>T</b>	56	452	1,304	2,104	2,980	6,896	100.0
<b>Total Cases</b>	<b>M</b>	23	162	459	797	1,090	2,531	
	<b>F</b>	20	167	398	590	851	2,026	
	<b>T</b>	43	330	867	1,399	1,948	4,587	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 64  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**02 Fraser Health Authority**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	3	5	4	1	13	0.1
	F	-	-	1	3	-	4	0.0
	T	-	3	6	7	1	17	0.1
Hemangioma and lymphangiona	M	6	38	58	60	83	245	1.7
	F	10	61	73	80	60	284	1.9
	T	16	101	131	140	143	531	3.6
Neurofibromatosis/ von Recklinghausen's	M	-	2	5	13	5	25	0.2
	F	-	-	5	5	10	20	0.1
	T	-	2	12	21	17	52	0.4
Diabetes mellitus	M	-	23	78	110	169	380	2.6
	F	-	21	49	96	154	320	2.2
	T	-	44	127	207	323	701	4.8
Disorders of adrenal glands	M	1	1	12	15	16	45	0.3
	F	-	13	7	11	9	40	0.3
	T	1	14	19	26	25	85	0.6
Tourette's syndrome	M	-	-	10	36	40	86	0.6
	F	-	-	1	8	10	19	0.1
	T	-	-	11	44	50	105	0.7
Hyperkinetic syndrome	M	-	6	45	210	295	556	3.8
	F	-	-	10	54	85	149	1.0
	T	-	6	56	266	384	712	4.9
Developmental delays	M	1	63	175	337	342	918	6.3
	F	4	30	104	197	194	529	3.6
	T	5	93	301	554	545	1,498	10.3
Mental retardation	M	15	70	77	89	99	350	2.4
	F	11	48	50	60	106	275	1.9
	T	28	121	135	152	207	643	4.4
Childhood cerebral degenerations and acquired hydrocephalus	M	3	30	46	45	38	162	1.1
	F	6	7	30	24	36	103	0.7
	T	9	37	77	70	74	267	1.8
Infantile cerebral palsy	M	-	34	89	137	141	401	2.8
	F	1	25	53	127	100	306	2.1
	T	1	59	145	264	241	710	4.9
Hemiplegia	M	1	5	21	42	33	102	0.7
	F	-	6	17	40	35	98	0.7
	T	1	11	38	82	68	200	1.4
Quadriplegia	M	-	2	6	9	12	29	0.2
	F	-	1	1	10	1	13	0.1
	T	-	3	7	19	13	42	0.3
Paraplegia	M	-	1	1	3	10	15	0.1
	F	-	-	-	4	5	9	0.1
	T	-	1	1	7	15	24	0.2
Other paralytic syndromes	M	1	1	18	29	38	87	0.6
	F	-	2	23	36	29	90	0.6
	T	1	3	42	65	67	178	1.2
Epilepsy	M	5	123	259	345	375	1,107	7.6
	F	14	133	211	262	308	928	6.4
	T	19	256	475	610	685	2,045	14.0
Retrolental fibroplasia	M	15	17	15	14	20	81	0.6
	F	12	16	14	26	30	98	0.7
	T	27	33	29	40	50	179	1.2
All other visual impairments/ blindness	M	21	183	504	782	716	2,206	15.1
	F	16	182	542	806	762	2,308	15.8
	T	37	365	1,050	1,588	1,483	4,523	31.0
Abnormal auditory perception and deafness	M	2	27	102	175	191	497	3.4
	F	4	24	60	150	147	385	2.6
	T	6	51	164	328	341	890	6.1
Rheumatoid arthritis	M	-	-	3	8	25	36	0.2
	F	-	1	8	21	33	63	0.4
	T	-	1	11	29	58	99	0.7
Disorders of muscle, ligament and fascia	M	-	1	21	27	40	89	0.6
	F	-	1	11	24	33	69	0.5
	T	-	2	32	51	73	158	1.1
Osteochondropathies	M	-	1	19	44	80	144	1.0
	F	-	-	6	25	46	77	0.5
	T	-	1	25	69	126	221	1.5
Other acquired deformities of limbs	M	-	3	26	76	125	230	1.6
	F	1	8	23	84	76	192	1.3
	T	1	11	49	160	201	422	2.9
Curvature of spine	M	-	5	16	29	40	90	0.6
	F	-	1	10	52	113	176	1.2
	T	-	6	26	81	153	266	1.8
<b>Total Diagnoses</b>	<b>M</b>	71	639	1,611	2,639	2,934	7,894	54.2
	<b>F</b>	79	580	1,309	2,205	2,382	6,555	45.0
	<b>T</b>	152	1,224	2,969	4,880	5,343	14,568	100.0
<b>Total Cases</b>	<b>M</b>	49	436	1,076	1,669	1,886	5,116	
	<b>F</b>	54	399	882	1,354	1,542	4,231	
	<b>T</b>	105	840	1,991	3,045	3,442	9,423	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 65  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**03 Vancouver Coastal Health Authority**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	1	2	1	1	5	0.1
	F	-	1	-	2	1	4	0.1
	T	-	2	2	3	2	9	0.1
Hemangioma and lymphangiona	M	3	32	42	35	41	153	2.0
	F	3	49	43	48	62	205	2.7
	T	6	82	86	83	103	360	4.7
Neurofibromatosis/ von Recklinghausen's	M	-	-	4	3	4	11	0.1
	F	-	1	4	4	6	15	0.2
	T	-	1	9	7	12	29	0.4
Diabetes mellitus	M	-	3	24	49	85	161	2.1
	F	-	7	34	33	72	146	1.9
	T	-	10	58	82	157	307	4.0
Disorders of adrenal glands	M	-	3	3	7	5	18	0.2
	F	1	1	3	4	7	16	0.2
	T	1	4	6	11	12	34	0.4
Tourette's syndrome	M	-	-	5	17	29	51	0.7
	F	-	-	-	2	7	9	0.1
	T	-	-	5	19	36	60	0.8
Hyperkinetic syndrome	M	-	3	40	108	142	293	3.8
	F	-	-	6	23	42	71	0.9
	T	-	3	47	132	185	367	4.8
Developmental delays	M	1	49	126	216	269	661	8.6
	F	-	20	70	112	140	342	4.4
	T	1	69	209	344	414	1,037	13.4
Mental retardation	M	9	52	55	56	61	233	3.0
	F	4	18	37	39	62	160	2.1
	T	14	76	99	96	126	411	5.3
Childhood cerebral degenerations and acquired hydrocephalus	M	2	13	25	22	21	83	1.1
	F	2	8	18	13	19	60	0.8
	T	4	21	43	35	40	143	1.9
Infantile cerebral palsy	M	2	5	39	59	77	182	2.4
	F	-	9	29	48	52	138	1.8
	T	2	16	69	107	130	324	4.2
Hemiplegia	M	-	7	10	20	26	63	0.8
	F	-	3	11	20	11	45	0.6
	T	-	10	21	40	38	109	1.4
Quadriplegia	M	1	-	3	4	7	15	0.2
	F	-	2	2	3	3	10	0.1
	T	1	2	5	7	10	25	0.3
Paraplegia	M	-	1	1	2	5	9	0.1
	F	-	-	-	1	4	5	0.1
	T	-	1	1	3	9	14	0.2
Other paralytic syndromes	M	-	2	9	14	16	41	0.5
	F	-	2	10	9	25	46	0.6
	T	-	4	20	23	41	88	1.1
Epilepsy	M	7	70	160	190	270	697	9.0
	F	6	81	145	166	238	636	8.2
	T	13	152	308	356	509	1,338	17.4
Retrolental fibroplasia	M	11	10	4	7	17	49	0.6
	F	6	12	4	6	7	35	0.5
	T	17	22	8	13	24	84	1.1
All other visual impairments/ blindness	M	15	83	269	356	348	1,071	13.9
	F	11	77	227	376	268	959	12.4
	T	26	160	501	735	629	2,051	26.6
Abnormal auditory perception and deafness	M	1	13	50	66	73	203	2.6
	F	1	7	27	48	56	139	1.8
	T	2	22	80	115	130	349	4.5
Rheumatoid arthritis	M	-	-	2	7	18	27	0.4
	F	-	2	5	9	17	33	0.4
	T	-	2	7	16	35	60	0.8
Disorders of muscle, ligament and fascia	M	-	-	8	6	14	28	0.4
	F	-	2	7	10	13	32	0.4
	T	-	2	15	16	27	60	0.8
Osteochondropathies	M	-	-	9	11	46	66	0.9
	F	-	-	5	5	17	27	0.4
	T	-	-	14	16	63	93	1.2
Other acquired deformities of limbs	M	-	1	18	50	68	137	1.8
	F	-	3	19	29	52	103	1.3
	T	-	4	39	80	121	244	3.2
Curvature of spine	M	1	-	6	10	19	36	0.5
	F	1	1	7	16	53	78	1.0
	T	2	1	14	26	72	115	1.5
<b>Total Diagnoses</b>	<b>M</b>	<b>53</b>	<b>348</b>	<b>914</b>	<b>1,316</b>	<b>1,662</b>	<b>4,293</b>	<b>55.7</b>
	<b>F</b>	<b>35</b>	<b>306</b>	<b>713</b>	<b>1,026</b>	<b>1,234</b>	<b>3,314</b>	<b>43.0</b>
	<b>T</b>	<b>89</b>	<b>666</b>	<b>1,666</b>	<b>2,365</b>	<b>2,925</b>	<b>7,711</b>	<b>100.0</b>
<b>Total Cases</b>	<b>M</b>	<b>36</b>	<b>265</b>	<b>599</b>	<b>824</b>	<b>1,023</b>	<b>2,747</b>	
	<b>F</b>	<b>23</b>	<b>231</b>	<b>473</b>	<b>653</b>	<b>804</b>	<b>2,184</b>	
	<b>T</b>	<b>60</b>	<b>504</b>	<b>1,094</b>	<b>1,496</b>	<b>1,836</b>	<b>4,990</b>	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 66  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**04 Vancouver Island Health Authority**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	1	1	1	3	3	9	0.1
	F	-	1	-	2	3	6	0.1
	T	1	2	1	5	6	15	0.2
Hemangioma and lymphangiona	M	3	13	28	25	45	114	1.5
	F	1	32	20	33	35	121	1.6
	T	4	46	48	58	80	236	3.1
Neurofibromatosis/ von Recklinghausen's	M	-	5	3	4	1	13	0.2
	F	1	2	6	3	4	16	0.2
	T	1	7	9	9	6	32	0.4
Diabetes mellitus	M	1	14	47	63	86	211	2.7
	F	-	7	32	61	99	199	2.6
	T	1	21	79	124	185	410	5.3
Disorders of adrenal glands	M	2	2	-	6	4	14	0.2
	F	-	-	2	5	5	12	0.2
	T	2	2	2	11	9	26	0.3
Tourette's syndrome	M	-	-	11	29	33	73	0.9
	F	-	-	2	5	7	14	0.2
	T	-	-	13	34	40	87	1.1
Hyperkinetic syndrome	M	-	2	51	208	296	557	7.2
	F	-	1	5	49	64	119	1.5
	T	-	3	56	257	360	676	8.8
Developmental delays	M	-	16	102	243	334	695	9.0
	F	1	8	57	116	185	367	4.8
	T	1	24	160	364	520	1,069	13.9
Mental retardation	M	5	22	41	42	68	178	2.3
	F	4	23	25	39	54	145	1.9
	T	9	45	66	81	122	323	4.2
Childhood cerebral degenerations and acquired hydrocephalus	M	-	16	29	23	13	81	1.1
	F	3	3	20	22	19	67	0.9
	T	3	19	49	45	32	148	1.9
Infantile cerebral palsy	M	-	15	41	70	97	223	2.9
	F	-	6	49	67	81	203	2.6
	T	-	21	90	137	178	426	5.5
Hemiplegia	M	-	1	16	9	18	44	0.6
	F	2	1	5	17	21	46	0.6
	T	2	2	21	26	39	90	1.2
Quadriplegia	M	-	-	1	4	9	14	0.2
	F	-	1	2	2	7	12	0.2
	T	-	1	3	6	16	26	0.3
Paraplegia	M	-	2	-	3	9	14	0.2
	F	-	-	4	2	7	13	0.2
	T	-	2	4	5	16	27	0.4
Other paralytic syndromes	M	-	4	6	13	21	44	0.6
	F	1	-	9	11	21	42	0.5
	T	1	4	15	24	42	86	1.1
Epilepsy	M	4	47	119	130	200	500	6.5
	F	15	41	104	152	152	464	6.0
	T	19	88	223	282	352	964	12.5
Retrolental fibroplasia	M	6	22	13	19	13	73	0.9
	F	7	10	8	21	13	59	0.8
	T	13	32	21	40	26	132	1.7
All other visual impairments/ blindness	M	7	79	211	299	355	951	12.3
	F	8	58	191	335	314	906	11.7
	T	15	137	402	637	671	1,862	24.1
Abnormal auditory perception and deafness	M	3	15	73	100	79	270	3.5
	F	4	8	48	73	93	226	2.9
	T	7	23	121	173	172	496	6.4
Rheumatoid arthritis	M	-	-	3	13	13	29	0.4
	F	-	3	4	20	23	50	0.6
	T	-	3	7	33	36	79	1.0
Disorders of muscle, ligament and fascia	M	-	1	10	12	18	41	0.5
	F	-	1	3	12	19	35	0.5
	T	-	3	13	24	37	77	1.0
Osteochondropathies	M	-	1	4	14	47	66	0.9
	F	-	-	2	14	17	33	0.4
	T	-	1	6	28	64	99	1.3
Other acquired deformities of limbs	M	-	1	11	41	69	122	1.6
	F	-	3	12	28	40	83	1.1
	T	-	4	23	69	109	205	2.7
Curvature of spine	M	-	3	2	10	18	33	0.4
	F	-	1	10	25	53	89	1.2
	T	-	4	12	35	71	122	1.6
<b>Total Diagnoses</b>	<b>M</b>	32	282	823	1,383	1,849	4,369	56.6
	<b>F</b>	47	210	620	1,114	1,336	3,327	43.1
	<b>T</b>	79	494	1,444	2,507	3,189	7,713	100.0
<b>Total Cases</b>	<b>M</b>	24	189	557	887	1,092	2,749	
	<b>F</b>	25	159	389	708	811	2,092	
	<b>T</b>	49	350	947	1,603	1,905	4,854	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 67  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**05 Northern Health Authority**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	2	-	2	0.1
	F	-	-	1	1	1	3	0.1
	T	-	-	1	3	1	5	0.1
Hemangioma and lymphangiona	M	2	9	17	14	21	63	1.6
	F	3	8	16	18	20	65	1.7
	T	5	18	34	32	41	130	3.4
Neurofibromatosis/ von Recklinghausen's	M	-	-	2	2	2	6	0.2
	F	-	3	-	4	1	8	0.2
	T	-	3	2	7	3	15	0.4
Diabetes mellitus	M	-	2	19	21	52	94	2.4
	F	-	2	13	36	42	93	2.4
	T	-	4	32	57	94	187	4.9
Disorders of adrenal glands	M	-	1	2	3	6	12	0.3
	F	-	1	3	2	7	13	0.3
	T	-	3	5	5	13	26	0.7
Tourette's syndrome	M	-	-	2	14	14	30	0.8
	F	-	-	-	2	3	5	0.1
	T	-	-	2	16	17	35	0.9
Hyperkinetic syndrome	M	-	-	13	84	104	201	5.2
	F	-	1	2	20	27	50	1.3
	T	-	1	15	105	131	252	6.6
Developmental delays	M	-	13	47	142	117	319	8.3
	F	1	12	36	72	38	159	4.1
	T	1	25	86	218	156	486	12.6
Mental retardation	M	2	8	21	38	49	118	3.1
	F	1	9	12	33	33	88	2.3
	T	3	17	35	71	82	208	5.4
Childhood cerebral degenerations and acquired hydrocephalus	M	-	4	9	11	12	36	0.9
	F	-	8	8	5	3	24	0.6
	T	-	12	17	16	15	60	1.6
Infantile cerebral palsy	M	1	8	26	29	49	113	2.9
	F	1	13	21	32	33	100	2.6
	T	2	21	48	61	82	214	5.6
Hemiplegia	M	-	-	4	13	8	25	0.7
	F	-	2	4	2	5	13	0.3
	T	-	2	10	15	13	40	1.0
Quadriplegia	M	-	-	1	3	2	6	0.2
	F	-	-	3	1	2	6	0.2
	T	-	-	4	4	4	12	0.3
Paraplegia	M	-	-	1	3	1	5	0.1
	F	-	-	-	2	-	2	0.1
	T	-	-	1	5	1	7	0.2
Other paralytic syndromes	M	-	1	5	6	4	16	0.4
	F	-	1	6	6	5	18	0.5
	T	-	2	11	12	9	34	0.9
Epilepsy	M	6	41	69	92	98	306	8.0
	F	2	35	63	50	92	242	6.3
	T	8	76	132	142	190	548	14.2
Retrolental fibroplasia	M	2	5	4	3	6	20	0.5
	F	3	1	7	3	8	22	0.6
	T	5	6	11	6	14	42	1.1
All other visual impairments/ blindness	M	4	34	99	182	201	520	13.5
	F	7	22	115	138	147	429	11.2
	T	11	56	214	326	348	955	24.8
Abnormal auditory perception and deafness	M	2	9	33	44	53	141	3.7
	F	-	3	27	36	32	98	2.5
	T	2	12	60	80	85	239	6.2
Rheumatoid arthritis	M	-	-	3	5	10	18	0.5
	F	-	3	5	4	5	17	0.4
	T	-	3	8	9	15	35	0.9
Disorders of muscle, ligament and fascia	M	-	2	3	10	17	32	0.8
	F	-	2	4	4	13	23	0.6
	T	-	4	7	14	30	55	1.4
Osteochondropathies	M	-	-	4	16	27	47	1.2
	F	-	-	-	6	14	20	0.5
	T	-	-	4	22	41	67	1.7
Other acquired deformities of limbs	M	-	4	12	19	50	85	2.2
	F	-	-	12	20	35	67	1.7
	T	-	4	25	39	85	153	4.0
Curvature of spine	M	-	-	-	8	9	17	0.4
	F	-	1	3	8	12	24	0.6
	T	-	1	3	16	21	41	1.1
<b>Total Diagnoses</b>	<b>M</b>	19	141	396	764	912	2,232	58.0
	<b>F</b>	18	127	361	505	578	1,589	41.3
	<b>T</b>	37	270	767	1,281	1,491	3,846	100.0
<b>Total Cases</b>	<b>M</b>	11	108	273	508	568	1,468	
	<b>F</b>	13	82	227	335	379	1,036	
	<b>T</b>	24	192	507	849	948	2,520	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 68  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**11 East Kootenay Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	-	1	1	0.2
	F	-	-	-	-	-	-	-
	T	-	-	-	-	1	1	0.2
Hemangioma and lymphangiona	M	-	2	1	1	3	7	1.4
	F	-	4	1	1	-	6	1.2
	T	-	6	2	2	3	13	2.5
Neurofibromatosis/ von Recklinghausen's	M	-	-	-	-	1	1	0.2
	F	-	-	-	-	2	2	0.4
	T	-	-	-	-	3	3	0.6
Diabetes mellitus	M	-	1	1	5	12	19	3.7
	F	-	-	5	13	13	31	6.1
	T	-	1	6	18	25	50	9.8
Disorders of adrenal glands	M	-	-	-	1	2	3	0.6
	F	-	-	-	-	2	2	0.4
	T	-	-	-	1	4	5	1.0
Tourette's syndrome	M	-	-	-	2	6	8	1.6
	F	-	-	-	-	-	-	-
	T	-	-	-	2	6	8	1.6
Hyperkinetic syndrome	M	-	-	1	17	23	41	8.0
	F	-	-	1	-	4	5	1.0
	T	-	-	2	17	27	46	9.0
Developmental delays	M	-	3	3	14	11	31	6.1
	F	-	-	3	2	9	14	2.7
	T	-	3	6	16	21	46	9.0
Mental retardation	M	-	3	4	3	7	17	3.3
	F	1	1	5	5	7	19	3.7
	T	1	4	9	8	14	36	7.0
Childhood cerebral degenerations and acquired hydrocephalus	M	-	1	1	1	1	4	0.8
	F	-	1	1	-	3	5	1.0
	T	-	2	2	1	4	9	1.8
Infantile cerebral palsy	M	-	-	5	8	5	18	3.5
	F	-	3	1	7	6	17	3.3
	T	-	3	6	15	11	35	6.8
Hemiplegia	M	-	-	-	-	1	1	0.2
	F	-	-	-	2	1	3	0.6
	T	-	-	-	2	2	4	0.8
Quadriplegia	M	-	-	-	-	1	1	0.2
	F	-	-	-	-	-	-	-
	T	-	-	-	-	1	1	0.2
Paraplegia	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-
Other paralytic syndromes	M	-	-	-	1	2	3	0.6
	F	-	-	-	-	4	4	0.8
	T	-	-	-	1	6	7	1.4
Epilepsy	M	1	7	8	13	21	50	9.8
	F	-	9	8	8	13	38	7.4
	T	1	16	16	21	34	88	17.2
Retrolental fibroplasia	M	-	-	1	-	-	1	0.2
	F	2	-	-	-	-	2	0.4
	T	2	-	1	-	-	3	0.6
All other visual impairments/ blindness	M	1	-	9	11	26	47	9.2
	F	3	4	7	19	14	47	9.2
	T	4	4	16	30	40	94	18.4
Abnormal auditory perception and deafness	M	-	-	-	6	7	13	2.5
	F	-	-	-	3	4	7	1.4
	T	-	-	-	9	11	20	3.9
Rheumatoid arthritis	M	-	-	-	-	-	-	-
	F	-	-	1	1	2	4	0.8
	T	-	-	1	1	2	4	0.8
Disorders of muscle, ligament and fascia	M	-	-	1	1	1	3	0.6
	F	-	-	-	1	2	3	0.6
	T	-	-	1	2	3	6	1.2
Osteochondropathies	M	-	-	-	-	6	6	1.2
	F	-	-	-	-	4	4	0.8
	T	-	-	-	-	10	10	2.0
Other acquired deformities of limbs	M	-	-	2	1	5	8	1.6
	F	-	-	-	1	4	5	1.0
	T	-	-	2	2	9	13	2.5
Curvature of spine	M	-	-	1	-	2	3	0.6
	F	-	-	2	1	4	7	1.4
	T	-	-	3	1	6	10	2.0
<b>Total Diagnoses</b>	<b>M</b>	2	17	38	85	144	286	55.9
	<b>F</b>	6	22	35	64	98	225	43.9
	<b>T</b>	8	39	73	149	243	512	100.0
<b>Total Cases</b>	<b>M</b>	1	15	25	64	99	204	
	<b>F</b>	3	17	30	41	71	162	
	<b>T</b>	4	32	55	105	171	367	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 69  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**12 Kootenay Boundary Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-
Hemangioma and lymphangiona	M	-	3	4	5	6	18	2.7
	F	-	1	4	2	8	15	2.2
	T	-	4	8	7	14	33	4.9
Neurofibromatosis/ von Recklinghausen's	M	-	-	-	-	1	1	0.1
	F	-	-	-	-	-	-	-
	T	-	-	-	-	1	1	0.1
Diabetes mellitus	M	-	-	8	11	12	31	4.6
	F	-	1	3	3	6	13	1.9
	T	-	1	11	14	18	44	6.5
Disorders of adrenal glands	M	-	-	1	2	1	4	0.6
	F	-	-	-	-	2	2	0.3
	T	-	-	1	2	3	6	0.9
Tourette's syndrome	M	-	-	-	3	-	3	0.4
	F	-	-	-	-	-	-	-
	T	-	-	-	3	-	3	0.4
Hyperkinetic syndrome	M	-	-	-	7	3	10	1.5
	F	-	-	1	-	-	1	0.1
	T	-	-	1	7	3	11	1.6
Developmental delays	M	-	-	4	9	10	23	3.4
	F	-	-	3	3	13	19	2.8
	T	-	-	8	13	23	44	6.5
Mental retardation	M	1	-	4	5	13	23	3.4
	F	-	2	3	4	5	14	2.1
	T	1	2	7	9	19	38	5.6
Childhood cerebral degenerations and acquired hydrocephalus	M	-	2	3	-	4	9	1.3
	F	-	2	-	1	3	6	0.9
	T	-	4	3	1	7	15	2.2
Infantile cerebral palsy	M	-	2	6	6	4	18	2.7
	F	-	-	1	9	11	21	3.1
	T	-	2	7	15	15	39	5.8
Hemiplegia	M	1	1	1	2	4	9	1.3
	F	-	-	-	-	2	2	0.3
	T	1	1	1	2	6	11	1.6
Quadriplegia	M	-	-	-	-	1	1	0.1
	F	-	-	-	-	-	-	-
	T	-	-	-	-	1	1	0.1
Paraplegia	M	-	-	-	-	1	1	0.1
	F	-	-	-	-	-	-	-
	T	-	-	-	-	1	1	0.1
Other paralytic syndromes	M	-	-	1	1	-	2	0.3
	F	-	-	-	2	2	4	0.6
	T	-	-	1	3	2	6	0.9
Epilepsy	M	1	4	13	23	24	65	9.6
	F	-	5	6	12	16	39	5.8
	T	1	9	19	35	40	104	15.3
Retrolental fibroplasia	M	-	-	-	-	-	-	-
	F	-	1	1	1	1	4	0.6
	T	-	1	1	1	1	4	0.6
All other visual impairments/ blindness	M	1	8	27	47	20	103	15.2
	F	-	13	19	56	27	115	17.0
	T	1	21	46	103	47	218	32.2
Abnormal auditory perception and deafness	M	-	-	4	9	8	21	3.1
	F	-	1	-	11	9	21	3.1
	T	-	1	4	20	17	42	6.2
Rheumatoid arthritis	M	-	-	-	-	2	2	0.3
	F	-	-	-	1	2	3	0.4
	T	-	-	-	1	4	5	0.7
Disorders of muscle, ligament and fascia	M	-	-	1	-	5	6	0.9
	F	-	-	-	1	1	2	0.3
	T	-	-	1	1	6	8	1.2
Osteochondropathies	M	-	-	-	1	7	8	1.2
	F	-	-	1	1	2	4	0.6
	T	-	-	1	2	9	12	1.8
Other acquired deformities of limbs	M	-	-	5	4	8	17	2.5
	F	-	-	1	5	3	9	1.3
	T	-	-	6	9	11	26	3.8
Curvature of spine	M	-	-	-	1	2	3	0.4
	F	-	-	-	2	1	3	0.4
	T	-	-	-	3	3	6	0.9
<b>Total Diagnoses</b>	<b>M</b>	4	20	82	136	136	378	55.8
	<b>F</b>	-	26	43	114	114	297	43.8
	<b>T</b>	4	46	126	251	251	678	100.0
<b>Total Cases</b>	<b>M</b>	4	15	54	92	99	264	
	<b>F</b>	-	18	36	69	77	200	
	<b>T</b>	4	33	91	162	177	467	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 70  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**13 Okanagan Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	-	1	1	0.0
	F	-	1	1	-	-	2	0.1
	T	-	1	1	-	1	3	0.1
Hemangioma and lymphangiona	M	-	7	11	18	17	53	1.7
	F	1	21	20	9	30	81	2.6
	T	1	29	31	28	47	136	4.4
Neurofibromatosis/ von Recklinghausen's	M	-	1	-	3	-	4	0.1
	F	-	-	2	1	1	4	0.1
	T	-	1	2	4	2	9	0.3
Diabetes mellitus	M	-	9	21	36	52	118	3.8
	F	-	3	26	32	48	109	3.5
	T	-	12	47	68	100	227	7.3
Disorders of adrenal glands	M	-	-	5	5	4	14	0.5
	F	-	4	4	2	4	14	0.5
	T	-	4	9	7	8	28	0.9
Tourette's syndrome	M	-	-	2	12	11	25	0.8
	F	-	-	-	1	2	3	0.1
	T	-	-	2	13	13	28	0.9
Hyperkinetic syndrome	M	-	1	13	62	103	179	5.8
	F	-	-	3	13	34	50	1.6
	T	-	1	16	75	138	230	7.4
Developmental delays	M	-	12	39	48	72	171	5.5
	F	1	5	18	19	39	82	2.6
	T	1	17	61	72	111	262	8.4
Mental retardation	M	1	11	19	11	19	61	2.0
	F	-	6	15	14	16	51	1.6
	T	1	17	35	25	37	115	3.7
Childhood cerebral degenerations and acquired hydrocephalus	M	-	9	13	7	6	35	1.1
	F	1	4	9	5	13	32	1.0
	T	1	13	22	12	19	67	2.2
Infantile cerebral palsy	M	-	8	26	12	29	75	2.4
	F	-	5	12	19	33	69	2.2
	T	-	13	38	31	62	144	4.6
Hemiplegia	M	-	2	4	4	10	20	0.6
	F	-	1	4	3	7	15	0.5
	T	-	3	8	7	17	35	1.1
Quadriplegia	M	-	2	1	1	2	6	0.2
	F	1	-	2	-	2	5	0.2
	T	1	2	3	1	4	11	0.4
Paraplegia	M	1	-	-	1	5	7	0.2
	F	-	-	-	-	2	2	0.1
	T	1	-	-	1	7	9	0.3
Other paralytic syndromes	M	1	1	7	5	9	23	0.7
	F	-	2	6	7	6	21	0.7
	T	1	3	13	12	15	44	1.4
Epilepsy	M	2	44	57	52	69	224	7.2
	F	-	32	57	48	70	207	6.7
	T	2	76	114	101	140	433	14.0
Retrolental fibroplasia	M	-	5	1	4	7	17	0.5
	F	3	1	1	1	4	10	0.3
	T	3	6	2	5	11	27	0.9
All other visual impairments/ blindness	M	1	26	89	151	152	419	13.5
	F	4	18	90	144	113	369	11.9
	T	5	44	179	296	265	789	25.4
Abnormal auditory perception and deafness	M	1	6	10	41	93	151	4.9
	F	2	6	11	20	62	101	3.3
	T	3	12	21	62	156	254	8.2
Rheumatoid arthritis	M	-	-	3	1	8	12	0.4
	F	-	-	4	5	10	19	0.6
	T	-	-	7	6	18	31	1.0
Disorders of muscle, ligament and fascia	M	-	1	3	5	13	22	0.7
	F	-	-	1	3	10	14	0.5
	T	-	1	4	8	24	37	1.2
Osteochondropathies	M	-	-	3	7	14	24	0.8
	F	-	-	-	2	13	15	0.5
	T	-	-	3	9	27	39	1.3
Other acquired deformities of limbs	M	-	-	1	15	22	38	1.2
	F	-	-	2	13	23	38	1.2
	T	-	-	3	28	45	76	2.5
Curvature of spine	M	-	1	6	4	16	27	0.9
	F	2	-	2	10	26	40	1.3
	T	2	1	8	14	42	67	2.2
<b>Total Diagnoses</b>	<b>M</b>	7	146	334	505	734	1,726	55.7
	<b>F</b>	15	109	290	371	568	1,353	43.6
	<b>T</b>	22	256	629	885	1,309	3,101	100.0
<b>Total Cases</b>	<b>M</b>	6	89	209	342	485	1,131	
	<b>F</b>	9	85	196	254	364	908	
	<b>T</b>	15	175	410	602	852	2,054	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 71  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**14 Thompson Cariboo Shuswap Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	-	-	-	-
	F	-	-	1	-	-	1	0.0
	T	-	-	1	-	-	1	0.0
Hemangioma and lymphangiona	M	1	7	8	13	12	41	1.6
	F	3	15	11	9	20	58	2.2
	T	4	22	19	22	32	99	3.8
Neurofibromatosis/ von Recklinghausen's	M	-	-	4	2	1	7	0.3
	F	-	-	1	-	2	3	0.1
	T	-	-	5	3	3	11	0.4
Diabetes mellitus	M	-	2	12	25	27	66	2.5
	F	-	4	12	11	29	56	2.1
	T	-	6	28	36	56	126	4.8
Disorders of adrenal glands	M	-	1	-	1	2	4	0.2
	F	-	-	2	2	2	6	0.2
	T	-	1	2	3	4	10	0.4
Tourette's syndrome	M	-	-	5	26	33	64	2.5
	F	-	-	-	5	4	9	0.3
	T	-	-	5	32	37	74	2.8
Hyperkinetic syndrome	M	-	-	20	74	125	219	8.4
	F	-	-	3	22	58	83	3.2
	T	-	-	23	96	183	302	11.6
Developmental delays	M	-	1	25	63	90	179	6.9
	F	-	1	17	34	60	112	4.3
	T	-	2	46	100	152	300	11.5
Mental retardation	M	6	2	7	12	20	47	1.8
	F	1	3	6	17	23	50	1.9
	T	7	5	13	29	43	97	3.7
Childhood cerebral degenerations and acquired hydrocephalus	M	-	-	7	7	9	23	0.9
	F	-	4	5	5	8	22	0.8
	T	-	4	12	12	17	45	1.7
Infantile cerebral palsy	M	-	1	12	22	26	61	2.3
	F	-	1	13	27	22	63	2.4
	T	-	2	25	49	48	124	4.8
Hemiplegia	M	-	-	2	4	7	13	0.5
	F	-	1	4	6	5	16	0.6
	T	-	1	6	10	12	29	1.1
Quadriplegia	M	-	-	-	3	2	5	0.2
	F	-	-	-	1	3	4	0.2
	T	-	-	-	4	5	9	0.3
Paraplegia	M	-	-	1	-	6	7	0.3
	F	-	-	-	1	1	2	0.1
	T	-	-	1	1	7	9	0.3
Other paralytic syndromes	M	-	-	4	3	10	17	0.7
	F	-	2	1	4	7	14	0.5
	T	-	2	5	7	17	31	1.2
Epilepsy	M	3	18	40	51	65	177	6.8
	F	2	5	42	50	58	157	6.0
	T	5	23	84	102	123	337	12.9
Retrolental fibroplasia	M	1	1	-	2	3	7	0.3
	F	1	1	4	2	3	11	0.4
	T	2	2	4	4	6	18	0.7
All other visual impairments/ blindness	M	2	16	67	120	106	311	11.9
	F	2	15	82	116	108	323	12.4
	T	4	31	150	236	214	635	24.4
Abnormal auditory perception and deafness	M	-	5	15	12	38	70	2.7
	F	-	4	6	8	39	57	2.2
	T	-	9	21	20	80	130	5.0
Rheumatoid arthritis	M	-	-	2	4	3	9	0.3
	F	-	-	1	8	3	12	0.5
	T	-	-	3	12	6	21	0.8
Disorders of muscle, ligament and fascia	M	-	-	4	1	12	17	0.7
	F	-	-	-	2	8	10	0.4
	T	-	-	4	3	20	27	1.0
Osteochondropathies	M	-	-	3	5	14	22	0.8
	F	-	-	2	7	11	20	0.8
	T	-	-	5	12	25	42	1.6
Other acquired deformities of limbs	M	-	-	8	11	20	39	1.5
	F	-	-	-	8	28	36	1.4
	T	-	-	8	19	49	76	2.9
Curvature of spine	M	-	1	3	4	12	20	0.8
	F	-	-	3	3	26	32	1.2
	T	-	1	6	7	38	52	2.0
<b>Total Diagnoses</b>	<b>M</b>	13	55	249	465	643	1,425	54.7
	<b>F</b>	9	56	216	348	528	1,157	44.4
	<b>T</b>	22	111	476	819	1,177	2,605	100.0
<b>Total Cases</b>	<b>M</b>	12	43	171	299	407	932	
	<b>F</b>	8	47	136	226	339	756	
	<b>T</b>	20	90	311	530	748	1,699	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 72  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**21 Fraser East Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	2	1	1	-	4	0.1
	F	-	-	-	1	-	1	0.0
	T	-	2	1	2	-	5	0.2
Hemangioma and lymphangiona	M	1	9	11	15	12	48	1.5
	F	2	8	18	24	11	63	1.9
	T	3	17	29	39	23	111	3.4
Neurofibromatosis/ von Recklinghausen's	M	-	-	-	4	2	6	0.2
	F	-	-	-	1	2	3	0.1
	T	-	-	-	5	4	9	0.3
Diabetes mellitus	M	-	7	17	24	29	77	2.3
	F	-	5	8	25	31	69	2.1
	T	-	12	25	49	60	146	4.4
Disorders of adrenal glands	M	1	-	1	3	5	10	0.3
	F	-	-	-	8	4	12	0.4
	T	1	-	1	11	9	22	0.7
Tourette's syndrome	M	-	-	1	8	10	19	0.6
	F	-	-	-	1	2	3	0.1
	T	-	-	1	9	12	22	0.7
Hyperkinetic syndrome	M	-	-	9	48	95	152	4.6
	F	-	-	2	16	19	37	1.1
	T	-	-	11	64	115	190	5.8
Developmental delays	M	-	12	33	57	77	179	5.4
	F	1	6	21	38	34	100	3.0
	T	1	18	58	98	113	288	8.7
Mental retardation	M	3	14	20	25	21	83	2.5
	F	2	13	11	15	24	65	2.0
	T	5	28	32	41	46	152	4.6
Childhood cerebral degenerations and acquired hydrocephalus	M	1	2	16	8	10	37	1.1
	F	-	1	6	6	7	20	0.6
	T	1	3	22	14	17	57	1.7
Infantile cerebral palsy	M	-	5	20	37	38	100	3.0
	F	-	8	13	36	25	82	2.5
	T	-	13	33	73	63	182	5.5
Hemiplegia	M	1	-	8	7	8	24	0.7
	F	-	1	3	15	4	23	0.7
	T	1	1	11	22	12	47	1.4
Quadriplegia	M	-	-	-	1	-	1	0.0
	F	-	-	1	1	1	3	0.1
	T	-	-	1	2	1	4	0.1
Paraplegia	M	-	-	-	-	1	1	0.0
	F	-	-	-	1	3	4	0.1
	T	-	-	-	1	4	5	0.2
Other paralytic syndromes	M	-	1	-	9	7	17	0.5
	F	-	-	5	11	5	21	0.6
	T	-	1	5	20	12	38	1.2
Epilepsy	M	2	22	63	67	73	227	6.9
	F	-	28	46	73	62	209	6.3
	T	2	50	109	140	135	436	13.2
Retrolental fibroplasia	M	1	2	2	2	2	9	0.3
	F	5	4	4	6	5	24	0.7
	T	6	6	6	8	7	33	1.0
All other visual impairments/ blindness	M	2	43	93	143	136	417	12.6
	F	5	44	96	168	141	454	13.7
	T	7	87	189	311	279	873	26.4
Abnormal auditory perception and deafness	M	1	5	32	99	123	260	7.9
	F	-	4	20	86	82	192	5.8
	T	1	9	52	186	205	453	13.7
Rheumatoid arthritis	M	-	-	-	2	3	5	0.2
	F	-	1	4	6	3	14	0.4
	T	-	1	4	8	6	19	0.6
Disorders of muscle, ligament and fascia	M	-	-	3	4	15	22	0.7
	F	-	-	1	8	6	15	0.5
	T	-	-	4	12	21	37	1.1
Osteochondropathies	M	-	1	5	5	13	24	0.7
	F	-	-	1	6	13	20	0.6
	T	-	1	6	11	26	44	1.3
Other acquired deformities of limbs	M	-	1	-	13	28	42	1.3
	F	-	-	6	21	11	38	1.2
	T	-	1	6	34	39	80	2.4
Curvature of spine	M	-	-	5	4	11	20	0.6
	F	-	1	3	8	18	30	0.9
	T	-	1	8	12	29	50	1.5
<b>Total Diagnoses</b>	<b>M</b>	13	126	340	586	719	1,784	54.0
	<b>F</b>	15	124	269	581	513	1,502	45.5
	<b>T</b>	28	251	614	1,172	1,238	3,303	100.0
<b>Total Cases</b>	<b>M</b>	10	86	239	405	471	1,211	
	<b>F</b>	9	81	184	367	355	996	
	<b>T</b>	19	168	427	775	829	2,218	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 73  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**22 Fraser North Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	2	1	-	3	0.1
	F	-	-	1	1	-	2	0.0
	T	-	-	3	2	-	5	0.1
Hemangioma and lymphangiona	M	4	14	20	17	26	81	1.7
	F	3	25	31	34	28	121	2.5
	T	7	40	51	51	54	203	4.3
Neurofibromatosis/ von Recklinghausen's	M	-	-	-	5	1	6	0.1
	F	-	-	3	2	5	10	0.2
	T	-	-	5	7	7	19	0.4
Diabetes mellitus	M	-	7	28	45	48	128	2.7
	F	-	2	18	21	45	86	1.8
	T	-	9	46	66	93	214	4.5
Disorders of adrenal glands	M	-	-	5	3	3	11	0.2
	F	-	7	2	-	-	9	0.2
	T	-	7	7	3	3	20	0.4
Tourette's syndrome	M	-	-	5	10	14	29	0.6
	F	-	-	-	2	4	6	0.1
	T	-	-	5	12	18	35	0.7
Hyperkinetic syndrome	M	-	1	15	69	88	173	3.6
	F	-	-	4	14	27	45	0.9
	T	-	1	19	85	116	221	4.6
Developmental delays	M	-	21	65	122	109	317	6.6
	F	1	11	36	64	55	167	3.5
	T	1	32	109	192	167	501	10.5
Mental retardation	M	9	32	27	23	38	129	2.7
	F	2	18	12	23	29	84	1.8
	T	13	51	41	48	67	220	4.6
Childhood cerebral degenerations and acquired hydrocephalus	M	-	13	11	16	10	50	1.0
	F	3	3	8	4	9	27	0.6
	T	3	16	19	21	19	78	1.6
Infantile cerebral palsy	M	-	16	23	38	36	113	2.4
	F	-	8	15	33	15	71	1.5
	T	-	24	38	71	51	184	3.9
Hemiplegia	M	-	1	5	14	13	33	0.7
	F	-	3	3	14	7	27	0.6
	T	-	4	8	28	20	60	1.3
Quadriplegia	M	-	1	1	1	4	7	0.1
	F	-	-	-	4	-	4	0.1
	T	-	1	1	5	4	11	0.2
Paraplegia	M	-	1	-	1	4	6	0.1
	F	-	-	-	1	-	1	0.0
	T	-	1	-	2	4	7	0.1
Other paralytic syndromes	M	1	-	9	11	12	33	0.7
	F	-	-	8	13	8	29	0.6
	T	1	-	18	24	20	63	1.3
Epilepsy	M	-	38	107	107	123	375	7.9
	F	4	47	78	95	89	313	6.6
	T	4	85	186	202	214	691	14.5
Retrolental fibroplasia	M	4	9	7	3	5	28	0.6
	F	2	6	3	9	12	32	0.7
	T	6	15	10	12	17	60	1.3
All other visual impairments/ blindness	M	6	67	184	285	252	794	16.6
	F	4	49	216	278	248	795	16.7
	T	10	116	402	563	501	1,592	33.3
Abnormal auditory perception and deafness	M	-	9	27	30	26	92	1.9
	F	1	6	16	27	32	82	1.7
	T	1	15	45	59	60	180	3.8
Rheumatoid arthritis	M	-	-	2	2	14	18	0.4
	F	-	-	-	6	15	21	0.4
	T	-	-	2	8	29	39	0.8
Disorders of muscle, ligament and fascia	M	-	-	11	12	10	33	0.7
	F	-	-	5	7	13	25	0.5
	T	-	-	16	19	23	58	1.2
Osteochondropathies	M	-	-	8	15	36	59	1.2
	F	-	-	1	13	11	25	0.5
	T	-	-	9	28	47	84	1.8
Other acquired deformities of limbs	M	-	1	10	31	35	77	1.6
	F	-	3	4	22	23	52	1.1
	T	-	4	14	53	58	129	2.7
Curvature of spine	M	-	2	5	13	12	32	0.7
	F	-	-	4	14	50	68	1.4
	T	-	2	9	27	62	100	2.1
<b>Total Diagnoses</b>	<b>M</b>	24	233	577	874	919	2,627	55.0
	<b>F</b>	20	188	468	701	725	2,102	44.0
	<b>T</b>	46	423	1,063	1,586	1,654	4,774	100.0
<b>Total Cases</b>	<b>M</b>	17	155	384	551	608	1,715	
	<b>F</b>	16	131	317	428	490	1,382	
	<b>T</b>	35	288	712	986	1,103	3,124	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 74  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**23 Fraser South Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	1	2	2	1	6	0.1
	F	-	-	-	1	-	1	0.0
	T	-	1	2	3	1	7	0.1
Hemangioma and lymphangiona	M	1	15	27	28	45	116	1.8
	F	5	28	24	22	21	100	1.5
	T	6	44	51	50	66	217	3.3
Neurofibromatosis/ von Recklinghausen's	M	-	2	5	4	2	13	0.2
	F	-	-	2	2	3	7	0.1
	T	-	2	7	9	6	24	0.4
Diabetes mellitus	M	-	9	33	41	92	175	2.7
	F	-	14	23	50	78	165	2.5
	T	-	23	56	92	170	341	5.3
Disorders of adrenal glands	M	-	1	6	9	8	24	0.4
	F	-	6	5	3	5	19	0.3
	T	-	7	11	12	13	43	0.7
Tourette's syndrome	M	-	-	4	18	16	38	0.6
	F	-	-	1	5	4	10	0.2
	T	-	-	5	23	20	48	0.7
Hyperkinetic syndrome	M	-	5	21	93	112	231	3.6
	F	-	-	4	24	39	67	1.0
	T	-	5	26	117	153	301	4.6
Developmental delays	M	1	30	77	158	156	422	6.5
	F	2	13	47	95	105	262	4.0
	T	3	43	134	264	265	709	10.9
Mental retardation	M	3	24	30	41	40	138	2.1
	F	7	17	27	22	53	126	1.9
	T	10	42	62	63	94	271	4.2
Childhood cerebral degenerations and acquired hydrocephalus	M	2	15	19	21	18	75	1.2
	F	3	3	16	14	20	56	0.9
	T	5	18	36	35	38	132	2.0
Infantile cerebral palsy	M	-	13	46	62	67	188	2.9
	F	1	9	25	58	60	153	2.4
	T	1	22	74	120	127	344	5.3
Hemiplegia	M	-	4	8	21	12	45	0.7
	F	-	2	11	11	24	48	0.7
	T	-	6	19	32	36	93	1.4
Quadriplegia	M	-	1	5	7	8	21	0.3
	F	-	1	-	5	-	6	0.1
	T	-	2	5	12	8	27	0.4
Paraplegia	M	-	-	1	2	5	8	0.1
	F	-	-	-	2	2	4	0.1
	T	-	-	1	4	7	12	0.2
Other paralytic syndromes	M	-	-	9	9	19	37	0.6
	F	-	2	10	12	16	40	0.6
	T	-	2	19	21	35	77	1.2
Epilepsy	M	3	63	89	171	179	505	7.8
	F	10	58	87	94	157	406	6.3
	T	13	121	180	268	336	918	14.1
Retrolental fibroplasia	M	10	6	6	9	13	44	0.7
	F	5	6	7	11	13	42	0.6
	T	15	12	13	20	26	86	1.3
All other visual impairments/ blindness	M	13	73	227	354	328	995	15.3
	F	7	89	230	360	373	1,059	16.3
	T	20	162	459	714	703	2,058	31.7
Abnormal auditory perception and deafness	M	1	13	43	46	42	145	2.2
	F	3	14	24	37	33	111	1.7
	T	4	27	67	83	76	257	4.0
Rheumatoid arthritis	M	-	-	1	4	8	13	0.2
	F	-	-	4	9	15	28	0.4
	T	-	-	5	13	23	41	0.6
Disorders of muscle, ligament and fascia	M	-	1	7	11	15	34	0.5
	F	-	1	5	9	14	29	0.4
	T	-	2	12	20	29	63	1.0
Osteochondropathies	M	-	-	6	24	31	61	0.9
	F	-	-	4	6	22	32	0.5
	T	-	-	10	30	53	93	1.4
Other acquired deformities of limbs	M	-	1	16	32	62	111	1.7
	F	1	5	13	41	42	102	1.6
	T	1	6	29	73	104	213	3.3
Curvature of spine	M	-	3	6	12	17	38	0.6
	F	-	-	3	30	45	78	1.2
	T	-	3	9	42	62	116	1.8
<b>Total Diagnoses</b>	<b>M</b>	34	280	694	1,179	1,296	3,483	53.7
	<b>F</b>	44	268	572	923	1,144	2,951	45.5
	<b>T</b>	78	550	1,292	2,120	2,451	6,491	100.0
<b>Total Cases</b>	<b>M</b>	22	195	453	713	807	2,190	
	<b>F</b>	29	187	381	559	697	1,853	
	<b>T</b>	51	384	852	1,284	1,510	4,081	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 75  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**31 Richmond Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	-	1	1	0.1
	F	-	-	-	1	-	1	0.1
	T	-	-	-	1	1	2	0.1
Hemangioma and lymphangiona	M	-	1	6	5	14	26	1.9
	F	-	9	7	8	12	36	2.7
	T	-	11	14	13	26	64	4.7
Neurofibromatosis/ von Recklinghausen's	M	-	-	1	1	1	3	0.2
	F	-	1	-	-	2	3	0.2
	T	-	1	1	1	3	6	0.4
Diabetes mellitus	M	-	2	5	10	18	35	2.6
	F	-	1	3	4	6	14	1.0
	T	-	3	8	14	24	49	3.6
Disorders of adrenal glands	M	-	-	-	3	1	4	0.3
	F	-	-	1	1	-	2	0.1
	T	-	-	1	4	1	6	0.4
Tourette's syndrome	M	-	-	-	3	10	13	1.0
	F	-	-	-	1	1	2	0.1
	T	-	-	-	4	11	15	1.1
Hyperkinetic syndrome	M	-	-	8	28	31	67	4.9
	F	-	-	1	5	7	13	1.0
	T	-	-	9	33	38	80	5.9
Developmental delays	M	-	10	22	44	51	127	9.4
	F	-	3	7	23	28	61	4.5
	T	-	13	30	70	79	192	14.1
Mental retardation	M	3	5	7	9	14	38	2.8
	F	1	3	8	7	8	27	2.0
	T	4	9	16	16	22	67	4.9
Childhood cerebral degenerations and acquired hydrocephalus	M	-	2	2	2	4	10	0.7
	F	-	1	1	1	3	6	0.4
	T	-	3	3	3	7	16	1.2
Infantile cerebral palsy	M	-	1	6	15	20	42	3.1
	F	-	1	3	5	14	23	1.7
	T	-	2	9	20	34	65	4.8
Hemiplegia	M	-	3	3	5	-	11	0.8
	F	-	-	1	7	2	10	0.7
	T	-	3	4	12	2	21	1.5
Quadriplegia	M	-	-	-	1	2	3	0.2
	F	-	-	-	1	1	2	0.1
	T	-	-	-	2	3	5	0.4
Paraplegia	M	-	-	-	-	2	2	0.1
	F	-	-	-	1	1	2	0.1
	T	-	-	-	1	3	4	0.3
Other paralytic syndromes	M	-	1	2	-	2	5	0.4
	F	-	-	2	-	5	7	0.5
	T	-	1	5	-	7	13	1.0
Epilepsy	M	-	12	32	34	54	132	9.7
	F	2	12	18	37	44	113	8.3
	T	2	24	50	71	98	245	18.1
Retrolental fibroplasia	M	2	-	1	1	3	7	0.5
	F	2	-	1	1	1	5	0.4
	T	4	-	2	2	4	12	0.9
All other visual impairments/ blindness	M	2	6	50	65	70	193	14.2
	F	3	13	29	63	28	136	10.0
	T	5	19	79	128	98	329	24.2
Abnormal auditory perception and deafness	M	-	3	4	14	17	38	2.8
	F	-	2	2	3	11	18	1.3
	T	-	5	7	17	28	57	4.2
Rheumatoid arthritis	M	-	-	-	1	6	7	0.5
	F	-	-	2	1	2	5	0.4
	T	-	-	2	2	8	12	0.9
Disorders of muscle, ligament and fascia	M	-	-	2	-	3	5	0.4
	F	-	-	-	-	4	4	0.3
	T	-	-	2	-	7	9	0.7
Osteochondropathies	M	-	-	1	-	7	8	0.6
	F	-	-	2	1	-	3	0.2
	T	-	-	3	1	7	11	0.8
Other acquired deformities of limbs	M	-	-	4	10	14	28	2.1
	F	-	-	2	6	10	18	1.3
	T	-	-	8	16	24	48	3.5
Curvature of spine	M	-	-	2	2	7	11	0.8
	F	-	-	1	4	12	17	1.3
	T	-	-	4	6	19	29	2.1
<b>Total Diagnoses</b>	<b>M</b>	<b>7</b>	<b>46</b>	<b>158</b>	<b>253</b>	<b>352</b>	<b>816</b>	<b>60.1</b>
	<b>F</b>	<b>8</b>	<b>46</b>	<b>91</b>	<b>181</b>	<b>202</b>	<b>528</b>	<b>38.9</b>
	<b>T</b>	<b>15</b>	<b>94</b>	<b>257</b>	<b>437</b>	<b>554</b>	<b>1,357</b>	<b>100.0</b>
<b>Total Cases</b>	<b>M</b>	<b>5</b>	<b>34</b>	<b>106</b>	<b>160</b>	<b>209</b>	<b>514</b>	
	<b>F</b>	<b>4</b>	<b>33</b>	<b>69</b>	<b>107</b>	<b>121</b>	<b>334</b>	
	<b>T</b>	<b>9</b>	<b>69</b>	<b>180</b>	<b>270</b>	<b>330</b>	<b>858</b>	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 76  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**32 Vancouver Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	1	-	-	1	0.0
	F	-	-	-	1	1	2	0.0
	T	-	-	1	1	1	3	0.1
Hemangioma and lymphangiona	M	2	24	22	18	16	82	2.0
	F	2	30	23	24	26	105	2.6
	T	4	54	45	42	42	187	4.7
Neurofibromatosis/ von Recklinghausen's	M	-	-	3	1	2	6	0.1
	F	-	-	4	3	4	11	0.3
	T	-	-	8	4	7	19	0.5
Diabetes mellitus	M	-	1	9	21	39	70	1.7
	F	-	5	15	12	34	66	1.6
	T	-	6	24	33	73	136	3.4
Disorders of adrenal glands	M	-	2	2	3	2	9	0.2
	F	1	1	2	2	4	10	0.2
	T	1	3	4	5	6	19	0.5
Tourette's syndrome	M	-	-	2	8	15	25	0.6
	F	-	-	-	-	4	4	0.1
	T	-	-	2	8	19	29	0.7
Hyperkinetic syndrome	M	-	2	23	49	78	152	3.8
	F	-	-	5	12	24	41	1.0
	T	-	2	29	62	102	195	4.9
Developmental delays	M	1	29	71	107	170	378	9.4
	F	-	13	49	55	72	189	4.7
	T	1	42	126	171	243	583	14.5
Mental retardation	M	5	29	38	31	27	130	3.2
	F	1	11	23	21	37	93	2.3
	T	6	42	64	52	64	228	5.7
Childhood cerebral degenerations and acquired hydrocephalus	M	2	6	13	10	11	42	1.0
	F	2	7	10	5	10	34	0.8
	T	4	13	23	15	21	76	1.9
Infantile cerebral palsy	M	2	4	24	17	35	82	2.0
	F	-	5	16	14	28	63	1.6
	T	2	11	41	31	64	149	3.7
Hemiplegia	M	-	2	1	9	17	29	0.7
	F	-	1	7	7	8	23	0.6
	T	-	3	8	16	26	53	1.3
Quadriplegia	M	-	-	3	-	3	6	0.1
	F	-	1	2	-	-	3	0.1
	T	-	1	5	-	3	9	0.2
Paraplegia	M	-	1	-	2	2	5	0.1
	F	-	-	-	-	2	2	0.0
	T	-	1	-	2	4	7	0.2
Other paralytic syndromes	M	-	-	7	7	6	20	0.5
	F	-	1	6	6	15	28	0.7
	T	-	1	13	13	21	48	1.2
Epilepsy	M	3	36	86	106	155	386	9.6
	F	4	50	88	82	133	357	8.9
	T	7	87	174	188	288	744	18.5
Retrolental fibroplasia	M	8	8	2	5	9	32	0.8
	F	3	10	2	3	2	20	0.5
	T	11	18	4	8	11	52	1.3
All other visual impairments/ blindness	M	11	51	136	173	178	549	13.7
	F	6	43	121	156	153	479	11.9
	T	17	94	262	332	339	1,044	26.0
Abnormal auditory perception and deafness	M	1	7	28	27	31	94	2.3
	F	-	5	16	25	29	75	1.9
	T	1	14	46	52	60	173	4.3
Rheumatoid arthritis	M	-	-	1	5	8	14	0.3
	F	-	2	1	4	13	20	0.5
	T	-	2	2	9	21	34	0.8
Disorders of muscle, ligament and fascia	M	-	-	3	1	4	8	0.2
	F	-	1	4	5	5	15	0.4
	T	-	1	7	6	9	23	0.6
Osteochondropathies	M	-	-	7	4	18	29	0.7
	F	-	-	2	2	7	11	0.3
	T	-	-	9	6	25	40	1.0
Other acquired deformities of limbs	M	-	-	7	17	36	60	1.5
	F	-	2	12	13	25	52	1.3
	T	-	2	19	30	62	113	2.8
Curvature of spine	M	1	-	3	4	9	17	0.4
	F	-	-	5	7	27	39	1.0
	T	1	-	8	11	36	56	1.4
<b>Total Diagnoses</b>	<b>M</b>	36	202	492	625	871	2,226	55.4
	<b>F</b>	19	188	413	459	663	1,742	43.3
	<b>T</b>	55	397	924	1,097	1,547	4,020	100.0
<b>Total Cases</b>	<b>M</b>	23	156	312	384	537	1,412	
	<b>F</b>	14	145	266	311	433	1,169	
	<b>T</b>	37	304	589	705	975	2,610	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 77  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**33 North Shore/Coast Garibaldi Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	1	1	1	-	3	0.1
	F	-	1	-	-	-	1	0.0
	T	-	2	1	1	-	4	0.2
Hemangioma and lymphangiona	M	1	7	14	12	11	45	1.9
	F	1	10	13	16	24	64	2.7
	T	2	17	27	28	35	109	4.7
Neurofibromatosis/ von Recklinghausen's	M	-	-	-	1	1	2	0.1
	F	-	-	-	1	-	1	0.0
	T	-	-	-	2	2	4	0.2
Diabetes mellitus	M	-	-	10	18	28	56	2.4
	F	-	1	16	17	32	66	2.8
	T	-	1	26	35	60	122	5.2
Disorders of adrenal glands	M	-	1	1	1	2	5	0.2
	F	-	-	-	1	3	4	0.2
	T	-	1	1	2	5	9	0.4
Tourette's syndrome	M	-	-	3	6	4	13	0.6
	F	-	-	-	1	2	3	0.1
	T	-	-	3	7	6	16	0.7
Hyperkinetic syndrome	M	-	1	9	31	33	74	3.2
	F	-	-	-	6	11	17	0.7
	T	-	1	9	37	45	92	3.9
Developmental delays	M	-	10	33	65	48	156	6.7
	F	-	4	14	34	40	92	3.9
	T	-	14	53	103	92	262	11.2
Mental retardation	M	1	18	10	16	20	65	2.8
	F	2	4	6	11	17	40	1.7
	T	4	25	19	28	40	116	5.0
Childhood cerebral degenerations and acquired hydrocephalus	M	-	5	10	10	6	31	1.3
	F	-	-	7	7	6	20	0.9
	T	-	5	17	17	12	51	2.2
Infantile cerebral palsy	M	-	-	9	27	22	58	2.5
	F	-	3	10	29	10	52	2.2
	T	-	3	19	56	32	110	4.7
Hemiplegia	M	-	2	6	6	9	23	1.0
	F	-	2	3	6	1	12	0.5
	T	-	4	9	12	10	35	1.5
Quadriplegia	M	1	-	-	3	2	6	0.3
	F	-	1	-	2	2	5	0.2
	T	1	1	-	5	4	11	0.5
Paraplegia	M	-	-	1	-	1	2	0.1
	F	-	-	-	-	1	1	0.0
	T	-	-	1	-	2	3	0.1
Other paralytic syndromes	M	-	1	-	7	8	16	0.7
	F	-	1	2	3	5	11	0.5
	T	-	2	2	10	13	27	1.2
Epilepsy	M	4	22	42	50	61	179	7.7
	F	-	19	39	47	61	166	7.1
	T	4	41	84	97	123	349	15.0
Retrolental fibroplasia	M	1	2	1	1	5	10	0.4
	F	1	2	1	2	4	10	0.4
	T	2	4	2	3	9	20	0.9
All other visual impairments/ blindness	M	2	26	83	118	100	329	14.1
	F	2	21	77	157	87	344	14.7
	T	4	47	160	275	192	678	29.0
Abnormal auditory perception and deafness	M	-	3	18	25	25	71	3.0
	F	1	-	9	20	16	46	2.0
	T	1	3	27	46	42	119	5.1
Rheumatoid arthritis	M	-	-	1	1	4	6	0.3
	F	-	-	2	4	2	8	0.3
	T	-	-	3	5	6	14	0.6
Disorders of muscle, ligament and fascia	M	-	-	3	5	7	15	0.6
	F	-	1	3	5	4	13	0.6
	T	-	1	6	10	11	28	1.2
Osteochondropathies	M	-	-	1	7	21	29	1.2
	F	-	-	1	2	10	13	0.6
	T	-	-	2	9	31	42	1.8
Other acquired deformities of limbs	M	-	1	7	23	18	49	2.1
	F	-	1	5	10	17	33	1.4
	T	-	2	12	34	35	83	3.6
Curvature of spine	M	-	-	1	4	3	8	0.3
	F	1	1	1	5	14	22	0.9
	T	1	1	2	9	17	30	1.3
<b>Total Diagnoses</b>	<b>M</b>	10	100	264	438	439	1,251	53.6
	<b>F</b>	8	72	209	386	369	1,044	44.7
	<b>T</b>	19	175	485	831	824	2,334	100.0
<b>Total Cases</b>	<b>M</b>	8	75	181	280	277	821	
	<b>F</b>	5	53	138	235	250	681	
	<b>T</b>	14	131	325	521	531	1,522	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 78  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**41 South Vancouver Island Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	1	-	-	2	1	4	0.1
	F	-	-	-	2	1	3	0.1
	T	1	-	-	4	2	7	0.2
Hemangioma and lymphangiona	M	1	2	11	4	27	45	1.2
	F	-	17	11	10	17	55	1.5
	T	1	19	22	14	44	100	2.8
Neurofibromatosis/ von Recklinghausen's	M	-	3	1	3	1	8	0.2
	F	1	1	3	2	-	7	0.2
	T	1	4	4	7	1	17	0.5
Diabetes mellitus	M	1	9	25	29	43	107	3.0
	F	-	6	19	33	51	109	3.0
	T	1	15	44	62	94	216	6.0
Disorders of adrenal glands	M	-	2	-	4	2	8	0.2
	F	-	-	1	3	4	8	0.2
	T	-	2	1	7	6	16	0.4
Tourette's syndrome	M	-	-	9	12	20	41	1.1
	F	-	-	2	3	3	8	0.2
	T	-	-	11	15	23	49	1.4
Hyperkinetic syndrome	M	-	1	34	132	160	327	9.1
	F	-	1	2	28	36	67	1.9
	T	-	2	36	160	196	394	10.9
Developmental delays	M	-	6	51	144	186	387	10.7
	F	1	4	23	51	108	187	5.2
	T	1	10	74	197	295	577	16.0
Mental retardation	M	3	6	17	23	36	85	2.4
	F	1	18	13	19	32	83	2.3
	T	4	24	30	42	68	168	4.7
Childhood cerebral degenerations and acquired hydrocephalus	M	-	9	5	11	7	32	0.9
	F	1	1	6	9	7	24	0.7
	T	1	10	11	20	14	56	1.6
Infantile cerebral palsy	M	-	3	20	34	38	95	2.6
	F	-	2	24	28	39	93	2.6
	T	-	5	44	62	77	188	5.2
Hemiplegia	M	-	1	4	5	2	12	0.3
	F	-	1	1	5	4	11	0.3
	T	-	2	5	10	6	23	0.6
Quadriplegia	M	-	-	-	4	3	7	0.2
	F	-	-	-	-	5	5	0.1
	T	-	-	-	4	8	12	0.3
Paraplegia	M	-	-	-	2	3	5	0.1
	F	-	-	3	1	2	6	0.2
	T	-	-	3	3	5	11	0.3
Other paralytic syndromes	M	-	2	3	9	6	20	0.6
	F	1	-	3	5	9	18	0.5
	T	1	2	6	14	15	38	1.1
Epilepsy	M	2	15	46	55	73	191	5.3
	F	3	21	39	54	59	176	4.9
	T	5	36	85	109	132	367	10.2
Retrolental fibroplasia	M	2	11	6	14	3	36	1.0
	F	4	8	4	14	6	36	1.0
	T	6	19	10	28	9	72	2.0
All other visual impairments/ blindness	M	2	40	91	125	160	418	11.6
	F	5	24	76	152	118	375	10.4
	T	7	64	167	278	278	794	22.0
Abnormal auditory perception and deafness	M	1	10	33	59	43	146	4.0
	F	3	7	25	39	54	128	3.5
	T	4	17	58	98	97	274	7.6
Rheumatoid arthritis	M	-	-	1	2	9	12	0.3
	F	-	1	1	12	6	20	0.6
	T	-	1	2	14	15	32	0.9
Disorders of muscle, ligament and fascia	M	-	-	5	5	7	17	0.5
	F	-	-	2	6	12	20	0.6
	T	-	1	7	11	19	38	1.1
Osteochondropathies	M	-	-	-	7	16	23	0.6
	F	-	-	-	4	2	6	0.2
	T	-	-	-	11	18	29	0.8
Other acquired deformities of limbs	M	-	-	4	13	21	38	1.1
	F	-	1	5	9	18	33	0.9
	T	-	1	9	22	39	71	2.0
Curvature of spine	M	-	-	-	6	3	9	0.2
	F	-	1	8	11	31	51	1.4
	T	-	1	8	17	34	60	1.7
<b>Total Diagnoses</b>	<b>M</b>	13	120	366	704	870	2,073	57.4
	<b>F</b>	20	114	271	500	624	1,529	42.4
	<b>T</b>	33	235	637	1,209	1,495	3,609	100.0
<b>Total Cases</b>	<b>M</b>	11	83	242	441	528	1,305	
	<b>F</b>	11	83	174	327	381	976	
	<b>T</b>	22	167	416	773	910	2,288	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 79  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**42 Central Vancouver Island Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	1	1	-	2	4	0.2
	F	-	-	-	-	1	1	0.0
	T	-	1	1	-	3	5	0.2
Hemangioma and lymphangiona	M	2	5	13	13	16	49	1.8
	F	1	10	5	13	15	44	1.7
	T	3	15	18	26	31	93	3.5
Neurofibromatosis/ von Recklinghausen's	M	-	2	1	-	-	3	0.1
	F	-	1	2	1	4	8	0.3
	T	-	3	3	1	4	11	0.4
Diabetes mellitus	M	-	4	13	17	17	51	1.9
	F	-	1	9	22	34	66	2.5
	T	-	5	22	39	51	117	4.4
Disorders of adrenal glands	M	2	-	-	-	1	3	0.1
	F	-	-	1	1	-	2	0.1
	T	2	-	1	1	1	5	0.2
Tourette's syndrome	M	-	-	1	11	11	23	0.9
	F	-	-	-	1	2	3	0.1
	T	-	-	1	12	13	26	1.0
Hyperkinetic syndrome	M	-	1	9	56	103	169	6.4
	F	-	-	2	16	18	36	1.4
	T	-	1	11	72	121	205	7.7
Developmental delays	M	-	6	35	68	90	199	7.5
	F	-	3	23	44	47	117	4.4
	T	-	9	58	114	137	318	12.0
Mental retardation	M	2	12	22	12	15	63	2.4
	F	3	5	9	12	10	39	1.5
	T	5	17	31	24	25	102	3.8
Childhood cerebral degenerations and acquired hydrocephalus	M	-	6	16	8	4	34	1.3
	F	1	1	11	9	9	31	1.2
	T	1	7	27	17	13	65	2.5
Infantile cerebral palsy	M	-	5	14	26	35	80	3.0
	F	-	3	21	31	25	80	3.0
	T	-	8	35	57	60	160	6.0
Hemiplegia	M	-	-	6	4	10	20	0.8
	F	2	-	3	11	10	26	1.0
	T	2	-	9	15	20	46	1.7
Quadriplegia	M	-	-	1	-	4	5	0.2
	F	-	-	2	2	1	5	0.2
	T	-	-	3	2	5	10	0.4
Paraplegia	M	-	2	-	1	3	6	0.2
	F	-	-	-	1	3	4	0.2
	T	-	2	-	2	6	10	0.4
Other paralytic syndromes	M	-	2	1	3	12	18	0.7
	F	-	-	3	4	6	13	0.5
	T	-	2	4	7	18	31	1.2
Epilepsy	M	1	17	52	57	82	209	7.9
	F	11	10	41	60	63	185	7.0
	T	12	27	93	117	145	394	14.9
Retrolental fibroplasia	M	3	6	6	3	6	24	0.9
	F	-	2	3	7	5	17	0.6
	T	3	8	9	10	11	41	1.5
All other visual impairments/ blindness	M	3	21	80	99	117	320	12.1
	F	-	25	76	116	126	343	12.9
	T	3	46	156	215	243	663	25.0
Abnormal auditory perception and deafness	M	1	2	28	28	18	77	2.9
	F	-	-	17	20	15	52	2.0
	T	1	2	45	48	33	129	4.9
Rheumatoid arthritis	M	-	-	1	6	4	11	0.4
	F	-	1	1	5	13	20	0.8
	T	-	1	2	11	17	31	1.2
Disorders of muscle, ligament and fascia	M	-	-	2	5	5	12	0.5
	F	-	1	1	3	3	8	0.3
	T	-	1	3	8	8	20	0.8
Osteochondropathies	M	-	-	3	6	24	33	1.2
	F	-	-	2	7	10	19	0.7
	T	-	-	5	13	34	52	2.0
Other acquired deformities of limbs	M	-	1	4	16	23	44	1.7
	F	-	1	7	11	15	34	1.3
	T	-	2	11	27	38	78	2.9
Curvature of spine	M	-	3	1	2	7	13	0.5
	F	-	-	1	11	15	27	1.0
	T	-	3	2	13	22	40	1.5
<b>Total Diagnoses</b>	<b>M</b>	14	96	310	441	609	1,470	55.4
	<b>F</b>	18	64	240	408	450	1,180	44.5
	<b>T</b>	32	160	550	851	1,059	2,652	100.0
<b>Total Cases</b>	<b>M</b>	9	67	212	282	360	930	
	<b>F</b>	8	51	137	249	276	721	
	<b>T</b>	17	118	349	532	636	1,652	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 80  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**43 North Vancouver Island Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	1	-	1	0.1
	F	-	1	-	-	1	2	0.1
	T	-	1	-	1	1	3	0.2
Hemangioma and lymphangiona	M	-	6	4	8	2	20	1.4
	F	-	5	4	10	3	22	1.5
	T	-	12	8	18	5	43	3.0
Neurofibromatosis/ von Recklinghausen's	M	-	-	1	1	-	2	0.1
	F	-	-	1	-	-	1	0.1
	T	-	-	2	1	1	4	0.3
Diabetes mellitus	M	-	1	9	17	26	53	3.7
	F	-	-	4	6	14	24	1.7
	T	-	1	13	23	40	77	5.3
Disorders of adrenal glands	M	-	-	-	2	1	3	0.2
	F	-	-	-	1	1	2	0.1
	T	-	-	-	3	2	5	0.3
Tourette's syndrome	M	-	-	1	6	2	9	0.6
	F	-	-	-	1	2	3	0.2
	T	-	-	1	7	4	12	0.8
Hyperkinetic syndrome	M	-	-	8	20	33	61	4.2
	F	-	-	1	5	10	16	1.1
	T	-	-	9	25	43	77	5.3
Developmental delays	M	-	4	16	31	58	109	7.5
	F	-	1	11	21	30	63	4.3
	T	-	5	28	53	88	174	12.0
Mental retardation	M	-	4	2	7	17	30	2.1
	F	-	-	3	8	12	23	1.6
	T	-	4	5	15	29	53	3.7
Childhood cerebral degenerations and acquired hydrocephalus	M	-	1	8	4	2	15	1.0
	F	1	1	3	4	3	12	0.8
	T	1	2	11	8	5	27	1.9
Infantile cerebral palsy	M	-	7	7	10	24	48	3.3
	F	-	1	4	8	17	30	2.1
	T	-	8	11	18	41	78	5.4
Hemiplegia	M	-	-	6	-	6	12	0.8
	F	-	-	1	1	7	9	0.6
	T	-	-	7	1	13	21	1.4
Quadriplegia	M	-	-	-	-	2	2	0.1
	F	-	1	-	-	1	2	0.1
	T	-	1	-	-	3	4	0.3
Paraplegia	M	-	-	-	-	3	3	0.2
	F	-	-	1	-	2	3	0.2
	T	-	-	1	-	5	6	0.4
Other paralytic syndromes	M	-	-	2	1	3	6	0.4
	F	-	-	3	2	6	11	0.8
	T	-	-	5	3	9	17	1.2
Epilepsy	M	1	15	21	18	45	100	6.9
	F	1	10	24	38	30	103	7.1
	T	2	25	45	56	75	203	14.0
Retrolental fibroplasia	M	1	5	1	2	4	13	0.9
	F	3	-	1	-	2	6	0.4
	T	4	5	2	2	6	19	1.3
All other visual impairments/ blindness	M	2	18	40	75	78	213	14.7
	F	3	9	39	67	70	188	12.9
	T	5	27	79	144	150	405	27.9
Abnormal auditory perception and deafness	M	1	3	12	13	18	47	3.2
	F	1	1	6	14	24	46	3.2
	T	2	4	18	27	42	93	6.4
Rheumatoid arthritis	M	-	-	1	5	-	6	0.4
	F	-	1	2	3	4	10	0.7
	T	-	1	3	8	4	16	1.1
Disorders of muscle, ligament and fascia	M	-	1	3	2	6	12	0.8
	F	-	-	-	3	4	7	0.5
	T	-	1	3	5	10	19	1.3
Osteochondropathies	M	-	1	1	1	7	10	0.7
	F	-	-	-	3	5	8	0.6
	T	-	1	1	4	12	18	1.2
Other acquired deformities of limbs	M	-	-	3	12	25	40	2.8
	F	-	1	-	8	7	16	1.1
	T	-	1	3	20	32	56	3.9
Curvature of spine	M	-	-	1	2	8	11	0.8
	F	-	-	1	3	7	11	0.8
	T	-	-	2	5	15	22	1.5
<b>Total Diagnoses</b>	<b>M</b>	5	66	147	238	370	826	56.9
	<b>F</b>	9	32	109	206	262	618	42.6
	<b>T</b>	14	99	257	447	635	1,452	100.0
<b>Total Cases</b>	<b>M</b>	4	39	103	164	204	514	
	<b>F</b>	6	25	78	132	154	395	
	<b>T</b>	10	65	182	298	359	914	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 81  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**51 Northwest Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	-	-	-	-
	F	-	-	-	1	-	1	0.1
	T	-	-	-	1	-	1	0.1
Hemangioma and lymphangiona	M	1	3	6	5	9	24	2.0
	F	1	3	4	4	3	15	1.3
	T	2	7	10	9	12	40	3.4
Neurofibromatosis/ von Recklinghausen's	M	-	-	1	1	2	4	0.3
	F	-	2	-	-	-	2	0.2
	T	-	2	1	1	2	6	0.5
Diabetes mellitus	M	-	1	7	2	5	15	1.3
	F	-	1	6	5	4	16	1.3
	T	-	2	13	7	9	31	2.6
Disorders of adrenal glands	M	-	1	1	-	3	5	0.4
	F	-	-	1	-	-	1	0.1
	T	-	1	2	-	3	6	0.5
Tourette's syndrome	M	-	-	1	3	4	8	0.7
	F	-	-	-	1	-	1	0.1
	T	-	-	1	4	4	9	0.8
Hyperkinetic syndrome	M	-	-	8	23	39	70	5.9
	F	-	-	1	3	10	14	1.2
	T	-	-	9	26	49	84	7.1
Developmental delays	M	-	2	17	49	36	104	8.8
	F	-	4	10	23	16	53	4.5
	T	-	6	29	73	52	160	13.5
Mental retardation	M	-	1	6	7	15	29	2.4
	F	-	1	4	4	8	17	1.4
	T	-	2	10	11	23	46	3.9
Childhood cerebral degenerations and acquired hydrocephalus	M	-	1	2	4	5	12	1.0
	F	-	6	4	2	1	13	1.1
	T	-	7	6	6	6	25	2.1
Infantile cerebral palsy	M	-	-	8	8	6	22	1.9
	F	-	3	4	16	9	32	2.7
	T	-	3	13	24	15	55	4.6
Hemiplegia	M	-	-	3	6	3	12	1.0
	F	-	-	2	-	-	2	0.2
	T	-	-	7	6	3	16	1.3
Quadriplegia	M	-	-	1	-	-	1	0.1
	F	-	-	1	-	1	2	0.2
	T	-	-	2	-	1	3	0.3
Paraplegia	M	-	-	1	2	-	3	0.3
	F	-	-	-	1	-	1	0.1
	T	-	-	1	3	-	4	0.3
Other paralytic syndromes	M	-	1	2	5	1	9	0.8
	F	-	1	-	2	2	5	0.4
	T	-	2	2	7	3	14	1.2
Epilepsy	M	4	17	20	30	34	105	8.8
	F	-	22	29	13	30	94	7.9
	T	4	39	49	43	64	199	16.8
Retrolental fibroplasia	M	1	2	-	1	3	7	0.6
	F	1	-	3	1	1	6	0.5
	T	2	2	3	2	4	13	1.1
All other visual impairments/ blindness	M	1	13	26	44	56	140	11.8
	F	2	7	46	38	38	131	11.0
	T	3	20	72	86	94	275	23.2
Abnormal auditory perception and deafness	M	-	4	10	9	12	35	2.9
	F	-	2	9	20	11	42	3.5
	T	-	6	19	29	23	77	6.5
Rheumatoid arthritis	M	-	-	-	2	4	6	0.5
	F	-	-	1	3	3	7	0.6
	T	-	-	1	5	7	13	1.1
Disorders of muscle, ligament and fascia	M	-	1	-	4	7	12	1.0
	F	-	-	1	2	3	6	0.5
	T	-	1	1	6	10	18	1.5
Osteochondropathies	M	-	-	1	9	7	17	1.4
	F	-	-	-	1	6	7	0.6
	T	-	-	1	10	13	24	2.0
Other acquired deformities of limbs	M	-	1	2	10	15	28	2.4
	F	-	-	2	10	12	24	2.0
	T	-	1	5	20	27	53	4.5
Curvature of spine	M	-	-	-	2	3	5	0.4
	F	-	1	-	5	4	10	0.8
	T	-	1	-	7	7	15	1.3
<b>Total Diagnoses</b>	<b>M</b>	7	48	123	226	269	673	56.7
	<b>F</b>	4	53	128	155	162	502	42.3
	<b>T</b>	11	102	257	386	431	1,187	100.0
<b>Total Cases</b>	<b>M</b>	4	34	88	148	174	448	
	<b>F</b>	3	32	73	93	103	304	
	<b>T</b>	7	67	164	243	277	758	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 82  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**52 Northern Interior Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	2	-	2	0.1
	F	-	-	1	-	1	2	0.1
	T	-	-	1	2	1	4	0.2
Hemangioma and lymphangiona	M	1	4	9	6	8	28	1.5
	F	2	4	10	12	13	41	2.1
	T	3	8	20	18	21	70	3.6
Neurofibromatosis/ von Recklinghausen's	M	-	-	1	1	-	2	0.1
	F	-	1	-	2	1	4	0.2
	T	-	1	1	4	1	7	0.4
Diabetes mellitus	M	-	1	11	5	34	51	2.7
	F	-	-	3	21	22	46	2.4
	T	-	1	14	26	56	97	5.0
Disorders of adrenal glands	M	-	-	1	1	3	5	0.3
	F	-	1	2	2	6	11	0.6
	T	-	1	3	3	9	16	0.8
Tourette's syndrome	M	-	-	1	8	10	19	1.0
	F	-	-	-	-	2	2	0.1
	T	-	-	1	8	12	21	1.1
Hyperkinetic syndrome	M	-	-	3	42	48	93	4.8
	F	-	-	1	12	13	26	1.4
	T	-	-	4	55	61	120	6.2
Developmental delays	M	-	6	24	66	60	156	8.1
	F	-	7	23	36	15	81	4.2
	T	-	13	48	105	76	242	12.6
Mental retardation	M	2	4	11	25	26	68	3.5
	F	1	7	6	17	20	51	2.7
	T	3	11	19	42	46	121	6.3
Childhood cerebral degenerations and acquired hydrocephalus	M	-	1	6	5	3	15	0.8
	F	-	1	3	2	1	7	0.4
	T	-	2	9	7	4	22	1.1
Infantile cerebral palsy	M	-	8	13	18	32	71	3.7
	F	1	8	17	9	19	54	2.8
	T	1	16	30	27	51	125	6.5
Hemiplegia	M	-	-	1	7	4	12	0.6
	F	-	1	1	2	2	6	0.3
	T	-	1	2	9	6	18	0.9
Quadriplegia	M	-	-	-	2	2	4	0.2
	F	-	-	2	-	-	2	0.1
	T	-	-	2	2	2	6	0.3
Paraplegia	M	-	-	-	-	-	-	-
	F	-	-	-	1	-	1	0.1
	T	-	-	-	1	-	1	0.1
Other paralytic syndromes	M	-	-	3	1	3	7	0.4
	F	-	-	4	4	3	11	0.6
	T	-	-	7	5	6	18	0.9
Epilepsy	M	1	18	26	43	49	137	7.1
	F	1	8	23	21	38	91	4.7
	T	2	26	49	64	87	228	11.9
Retrolental fibroplasia	M	1	3	3	2	2	11	0.6
	F	1	1	3	1	6	12	0.6
	T	2	4	6	3	8	23	1.2
All other visual impairments/ blindness	M	2	17	52	97	110	278	14.5
	F	2	13	48	77	74	214	11.1
	T	4	30	100	176	184	494	25.7
Abnormal auditory perception and deafness	M	1	5	19	20	33	78	4.1
	F	-	1	16	11	15	43	2.2
	T	1	6	35	31	48	121	6.3
Rheumatoid arthritis	M	-	-	1	2	4	7	0.4
	F	-	2	1	-	2	5	0.3
	T	-	2	2	2	6	12	0.6
Disorders of muscle, ligament and fascia	M	-	1	3	3	9	16	0.8
	F	-	2	3	1	8	14	0.7
	T	-	3	6	4	17	30	1.6
Osteochondropathies	M	-	-	1	6	14	21	1.1
	F	-	-	-	5	6	11	0.6
	T	-	-	1	11	20	32	1.7
Other acquired deformities of limbs	M	-	2	9	9	26	46	2.4
	F	-	-	5	7	18	30	1.6
	T	-	2	14	16	44	76	4.0
Curvature of spine	M	-	-	-	5	4	9	0.5
	F	-	-	3	-	7	10	0.5
	T	-	-	3	5	11	19	1.0
<b>Total Diagnoses</b>	<b>M</b>	<b>8</b>	<b>70</b>	<b>198</b>	<b>376</b>	<b>484</b>	<b>1,136</b>	<b>59.1</b>
	<b>F</b>	<b>8</b>	<b>57</b>	<b>175</b>	<b>243</b>	<b>292</b>	<b>775</b>	<b>40.3</b>
	<b>T</b>	<b>16</b>	<b>127</b>	<b>377</b>	<b>626</b>	<b>777</b>	<b>1,923</b>	<b>100.0</b>
<b>Total Cases</b>	<b>M</b>	<b>6</b>	<b>54</b>	<b>135</b>	<b>254</b>	<b>295</b>	<b>744</b>	
	<b>F</b>	<b>6</b>	<b>38</b>	<b>108</b>	<b>173</b>	<b>195</b>	<b>520</b>	
	<b>T</b>	<b>12</b>	<b>92</b>	<b>247</b>	<b>431</b>	<b>491</b>	<b>1,273</b>	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than oncategory, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.

Table 83  
**Counts of Children (less than 20 yrs.) Living with Selected Disabilities and Handicapping Conditions by Age Group**  
**British Columbia, As of Year-End 2002**  
**53 Northeast Health Service Delivery Area**

Disability	Gender	<1	1-4	5-9	10-14	15-19	Total	% Total
Retinoblastoma	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-
Hemangioma and lymphangiona	M	-	2	2	3	4	11	1.5
	F	-	1	2	2	4	9	1.2
	T	-	3	4	5	8	20	2.7
Neurofibromatosis/ von Recklinghausen's	M	-	-	-	-	-	-	-
	F	-	-	-	2	-	2	0.3
	T	-	-	-	2	-	2	0.3
Diabetes mellitus	M	-	-	1	14	13	28	3.8
	F	-	1	4	10	16	31	4.2
	T	-	1	5	24	29	59	8.0
Disorders of adrenal glands	M	-	-	-	2	-	2	0.3
	F	-	-	-	-	1	1	0.1
	T	-	1	-	2	1	4	0.5
Tourette's syndrome	M	-	-	-	3	-	3	0.4
	F	-	-	-	1	1	2	0.3
	T	-	-	-	4	1	5	0.7
Hyperkinetic syndrome	M	-	-	2	19	17	38	5.2
	F	-	1	-	5	4	10	1.4
	T	-	1	2	24	21	48	6.5
Developmental delays	M	-	5	6	27	21	59	8.0
	F	1	1	3	13	7	25	3.4
	T	1	6	9	40	28	84	11.4
Mental retardation	M	-	3	4	6	8	21	2.9
	F	-	1	2	12	5	20	2.7
	T	-	4	6	18	13	41	5.6
Childhood cerebral degenerations and acquired hydrocephalus	M	-	2	1	2	4	9	1.2
	F	-	1	1	1	1	4	0.5
	T	-	3	2	3	5	13	1.8
Infantile cerebral palsy	M	1	-	5	3	11	20	2.7
	F	-	2	-	7	5	14	1.9
	T	1	2	5	10	16	34	4.6
Hemiplegia	M	-	-	-	-	1	1	0.1
	F	-	1	1	-	3	5	0.7
	T	-	1	1	-	4	6	0.8
Quadriplegia	M	-	-	-	1	-	1	0.1
	F	-	-	-	1	1	2	0.3
	T	-	-	-	2	1	3	0.4
Paraplegia	M	-	-	-	1	1	2	0.3
	F	-	-	-	-	-	-	-
	T	-	-	-	1	1	2	0.3
Other paralytic syndromes	M	-	-	-	-	-	-	-
	F	-	-	2	-	-	2	0.3
	T	-	-	2	-	-	2	0.3
Epilepsy	M	1	6	23	19	15	64	8.7
	F	1	5	11	16	24	57	7.7
	T	2	11	34	35	39	121	16.4
Retrolental fibroplasia	M	-	-	1	-	1	2	0.3
	F	1	-	1	1	1	4	0.5
	T	1	-	2	1	2	6	0.8
All other visual impairments/ blindness	M	1	4	21	41	35	102	13.9
	F	3	2	21	23	35	84	11.4
	T	4	6	42	64	70	186	25.3
Abnormal auditory perception and deafness	M	1	-	4	15	8	28	3.8
	F	-	-	2	5	6	13	1.8
	T	1	-	6	20	14	41	5.6
Rheumatoid arthritis	M	-	-	2	1	2	5	0.7
	F	-	1	3	1	-	5	0.7
	T	-	1	5	2	2	10	1.4
Disorders of muscle, ligament and fascia	M	-	-	-	3	1	4	0.5
	F	-	-	-	1	2	3	0.4
	T	-	-	-	4	3	7	1.0
Osteochondropathies	M	-	-	2	1	6	9	1.2
	F	-	-	-	-	2	2	0.3
	T	-	-	2	1	8	11	1.5
Other acquired deformities of limbs	M	-	1	1	-	9	11	1.5
	F	-	-	5	3	5	13	1.8
	T	-	1	6	3	14	24	3.3
Curvature of spine	M	-	-	-	1	2	3	0.4
	F	-	-	-	3	1	4	0.5
	T	-	-	-	4	3	7	1.0
<b>Total Diagnoses</b>	<b>M</b>	4	23	75	162	159	423	57.5
	<b>F</b>	6	17	58	107	124	312	42.4
	<b>T</b>	10	41	133	269	283	736	100.0
<b>Total Cases</b>	<b>M</b>	1	20	50	106	99	276	
	<b>F</b>	4	12	46	69	81	212	
	<b>T</b>	5	33	96	175	180	489	

Note: An individual with more than one diagnosed condition within a category is only counted once for that category. If an individual is diagnosed with conditions in more than one category, they are counted in each category. Counts of individuals still alive as of year-end 2002. Refer to Appendix 1 for ICD-9 and ICD-10 codes used in each category.