

APPENDIX 8**EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP**

The categories presented in Appendix 8 are listed below.

CAUSES OF DEATH	ICD-10 CODES
Motor Vehicle Accidents	V02-V04, V09, V12-V14, V19.0-V19.6, V20-V79, V80.3-V80.5, V82.0-V82.1, V82.3-V89.0, V89.2, V89.9, Y85.0
Accidental Drowning and Submersion	W65-W74
Accidental Poisoning	X40-X49
Accidental Falls	W00-W19
Accidents Caused by Fire and Flames	X00-X09
Suicide	X60-X84, Y87.0
Homicide	X85-Y09, Y87.1
All External Causes	V01-Y98

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - PROVINCIAL TOTAL
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	3	3	9	47	65	138	43	16	5	330	23.7	5.2
	F	1	5	3	3	24	24	68	23	11	4	166	24.5	2.6
	T	2	8	6	12	71	89	206	66	27	9	496	24.0	3.8
Accidental Drowning and Submersion	M	-	3	-	-	7	6	26	12	1	-	55	4.0	0.8
	F	-	3	-	-	1	1	-	1	-	-	6	0.9	0.1
	T	-	6	-	-	8	7	26	13	1	-	61	2.9	0.4
Accidental Poisoning	M	-	-	1	3	4	11	199	61	3	1	283	20.4	4.5
	F	-	-	-	-	8	13	139	38	4	-	202	29.8	2.9
	T	-	-	1	3	12	24	338	99	7	1	485	23.5	3.6
Accidental Falls	M	-	2	-	-	4	4	24	30	14	12	90	6.5	2.2
	F	1	-	1	-	1	-	6	13	6	27	55	8.1	1.6
	T	1	2	1	-	5	4	30	43	20	39	145	7.0	1.9
Accidents Caused by Fire and Flames	M	-	5	2	3	6	3	11	7	6	4	47	3.4	0.9
	F	-	-	1	1	-	-	10	2	2	1	17	2.5	0.3
	T	-	5	3	4	6	3	21	9	8	5	64	3.1	0.6
Suicide	M	-	-	-	4	42	53	165	32	7	-	303	21.8	4.4
	F	-	-	-	5	18	19	44	21	2	-	109	16.1	1.5
	T	-	-	-	9	60	72	209	53	9	-	412	19.9	2.9
Homicide	M	-	3	1	-	5	17	42	16	2	-	86	6.2	1.3
	F	1	2	-	-	7	7	25	7	2	-	51	7.5	0.7
	T	1	5	1	-	12	24	67	23	4	-	137	6.6	1.0
Other	M	3	3	4	4	10	16	84	53	13	6	196	14.1	3.6
	F	4	6	-	-	3	2	34	15	3	5	72	10.6	1.2
	T	7	9	4	4	13	18	118	68	16	11	268	13.0	2.3
All External Causes	M	4	19	11	23	125	175	689	254	62	28	1,390	100.0	22.9
	F	7	16	5	9	62	66	326	120	30	37	678	100.0	10.8
	T	11	35	16	32	187	241	1,015	374	92	65	2,068	100.0	16.6

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - PROVINCIAL TOTAL
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	9	17	41	51	406	453	1,038	564	165	238	2,982	20.8	1.5
	F	6	17	23	28	184	131	317	236	138	202	1,282	20.9	0.6
	T	15	34	64	79	590	584	1,355	800	303	440	4,264	20.8	1.0
Accidental Drowning and Submersion	M	1	18	7	6	46	39	133	74	32	21	377	2.6	0.2
	F	3	12	2	3	3	10	16	25	15	13	102	1.7	0.0
	T	4	30	9	9	49	49	149	99	47	34	479	2.3	0.1
Accidental Poisoning	M	-	2	-	2	41	132	1,807	677	61	27	2,749	19.2	1.3
	F	-	-	-	1	22	41	418	159	36	27	704	11.5	0.3
	T	-	2	-	3	63	173	2,225	836	97	54	3,453	16.9	0.8
Accidental Falls	M	2	4	3	7	28	46	144	205	202	1,078	1,719	12.0	0.8
	F	-	3	-	2	6	4	29	70	117	1,649	1,880	30.6	0.6
	T	2	7	3	9	34	50	173	275	319	2,727	3,599	17.6	0.7
Accidents Caused by Fire and Flames	M	3	7	5	7	6	10	41	58	23	24	184	1.3	0.1
	F	1	3	9	4	5	2	19	22	16	26	107	1.7	0.0
	T	4	10	14	11	11	12	60	80	39	50	291	1.4	0.1
Suicide	M	-	-	1	26	139	282	1,608	1,158	298	270	3,782	26.4	1.8
	F	-	-	-	9	40	55	409	369	105	103	1,090	17.7	0.5
	T	-	-	1	35	179	337	2,017	1,527	403	373	4,872	23.8	1.1
Homicide	M	4	9	5	5	40	76	307	120	22	15	603	4.2	0.3
	F	11	6	8	9	25	26	107	48	6	26	272	4.4	0.1
	T	15	15	13	14	65	102	414	168	28	41	875	4.3	0.2
Other	M	19	13	16	24	73	113	703	506	176	282	1,925	13.4	0.9
	F	6	12	5	10	12	28	115	129	90	303	710	11.6	0.3
	T	25	25	21	34	85	141	818	635	266	585	2,635	12.9	0.6
All External Causes	M	38	70	78	128	779	1,151	5,781	3,362	979	1,955	14,321	100.0	6.9
	F	27	53	47	66	297	297	1,430	1,058	523	2,349	6,147	100.0	2.6
	T	65	123	125	194	1,076	1,448	7,211	4,420	1,502	4,304	20,468	100.0	4.7

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 11/12 EAST KOOTENAY/KOOTENAY BOUNDARY
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)									Total			
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	1	-	3	1	-	-	5	26.3	4.9
	F	-	-	-	-	1	1	1	-	-	-	3	37.5	2.5
	T	-	-	-	-	2	1	4	1	-	-	8	29.6	3.5
Accidental Drowning and Submersion	M	-	-	-	-	-	-	1	-	-	-	1	5.3	0.9
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	-	-	-	1	3.7	0.5
Accidental Poisoning	M	-	-	-	-	-	-	1	-	-	-	1	5.3	1.0
	F	-	-	-	-	-	-	2	2	-	-	4	50.0	4.0
	T	-	-	-	-	-	-	3	2	-	-	5	18.5	2.7
Accidental Falls	M	-	-	-	-	-	-	-	-	1	-	1	5.3	3.4
	F	-	-	-	-	-	-	-	1	-	-	1	12.5	1.9
	T	-	-	-	-	-	-	-	1	1	-	2	7.4	2.8
Accidents Caused by Fire and Flames	M	-	-	-	-	-	1	1	-	2	-	4	21.1	8.0
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	1	-	2	-	4	14.8	4.0
Suicide	M	-	-	-	-	1	1	2	2	-	-	6	31.6	6.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	1	1	2	2	-	-	6	22.2	3.2
Homicide	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
Other	M	-	-	-	-	-	-	1	-	-	-	1	5.3	1.1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	-	-	-	1	3.7	0.5
All External Causes	M	-	-	-	-	2	2	9	3	3	-	19	100.0	25.9
	F	-	-	-	-	1	1	3	3	-	-	8	100.0	8.4
	T	-	-	-	-	3	3	12	6	3	-	27	100.0	17.2

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 11/12 EAST KOOTENAY/KOOTENAY BOUNDARY
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	3	3	44	23	68	42	8	18	209	28.7	2.5
	F	2	-	2	2	21	8	26	21	9	9	100	31.6	1.2
	T	2	-	5	5	65	31	94	63	17	27	309	29.6	1.9
Accidental Drowning and Submersion	M	-	-	-	-	5	1	6	6	-	-	18	2.5	0.2
	F	1	1	-	-	-	1	-	-	2	2	7	2.2	0.1
	T	1	1	-	-	5	2	6	6	2	2	25	2.4	0.1
Accidental Poisoning	M	-	-	-	-	-	2	22	18	3	-	45	6.2	0.5
	F	-	-	-	-	1	1	10	5	2	1	20	6.3	0.2
	T	-	-	-	-	1	3	32	23	5	1	65	6.2	0.4
Accidental Falls	M	-	-	-	1	1	5	10	9	3	57	86	11.8	1.0
	F	-	1	-	-	-	-	1	2	2	80	86	27.2	0.7
	T	-	1	-	1	1	5	11	11	5	137	172	16.5	0.8
Accidents Caused by Fire and Flames	M	1	-	-	2	-	1	3	2	3	1	13	1.8	0.2
	F	-	-	-	-	-	1	1	-	1	2	5	1.6	0.1
	T	1	-	-	2	-	2	4	2	4	3	18	1.7	0.1
Suicide	M	-	-	-	3	11	14	74	65	24	12	203	27.9	2.3
	F	-	-	-	-	2	1	14	24	5	1	47	14.9	0.5
	T	-	-	-	3	13	15	88	89	29	13	250	24.0	1.4
Homicide	M	-	2	1	1	-	1	7	6	2	1	21	2.9	0.3
	F	2	1	1	1	3	2	2	3	1	-	16	5.1	0.2
	T	2	3	2	2	3	3	9	9	3	1	37	3.5	0.2
Other	M	3	2	2	2	6	6	50	31	10	20	132	18.2	1.5
	F	1	1	1	-	-	2	5	11	6	8	35	11.1	0.4
	T	4	3	3	2	6	8	55	42	16	28	167	16.0	1.0
All External Causes	M	4	4	6	12	67	53	240	179	53	109	727	100.0	8.5
	F	6	4	4	3	27	16	59	66	28	103	316	100.0	3.3
	T	10	8	10	15	94	69	299	245	81	212	1,043	100.0	5.9

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 13 OKANAGAN
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	2	6	5	11	3	1	-	28	40.6	8.1
	F	1	-	-	-	1	-	7	-	1	-	10	35.7	2.8
	T	1	-	-	2	7	5	18	3	2	-	38	39.2	5.4
Accidental Drowning and Submersion	M	-	-	-	-	-	1	1	-	-	-	2	2.9	0.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	1	-	-	-	2	2.1	0.3
Accidental Poisoning	M	-	-	-	-	-	-	4	1	-	-	5	7.2	1.7
	F	-	-	-	-	1	-	2	1	-	-	4	14.3	1.2
	T	-	-	-	-	1	-	6	2	-	-	9	9.3	1.4
Accidental Falls	M	-	-	-	-	1	1	-	-	3	1	6	8.7	3.2
	F	-	-	-	-	-	-	2	-	-	1	3	10.7	1.1
	T	-	-	-	-	1	1	2	-	3	2	9	9.3	2.1
Accidents Caused by Fire and Flames	M	-	1	-	2	1	-	1	-	-	-	5	7.2	1.1
	F	-	-	-	-	-	-	2	-	1	-	3	10.7	1.1
	T	-	1	-	2	1	-	3	-	1	-	8	8.2	1.1
Suicide	M	-	-	-	-	-	2	11	-	2	-	15	21.7	5.1
	F	-	-	-	-	-	-	1	2	-	-	3	10.7	0.9
	T	-	-	-	-	-	2	12	2	2	-	18	18.6	2.9
Homicide	M	-	-	-	-	-	-	-	2	-	-	2	2.9	0.6
	F	-	-	-	-	-	-	-	-	2	-	2	7.1	1.1
	T	-	-	-	-	-	-	-	2	2	-	4	4.1	0.9
Other	M	-	-	-	-	-	-	3	1	1	1	6	8.7	2.6
	F	1	-	-	-	-	1	1	-	-	-	3	10.7	0.7
	T	1	-	-	-	-	1	4	1	1	1	9	9.3	1.5
All External Causes	M	-	1	-	4	8	9	31	7	7	2	69	100.0	22.9
	F	2	-	-	-	2	1	15	3	4	1	28	100.0	8.8
	T	2	1	-	4	10	10	46	10	11	3	97	100.0	15.6

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 13 OKANAGAN
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	2	-	3	5	38	43	98	41	29	29	288	24.7	2.0
	F	1	-	-	-	22	12	19	21	22	36	133	22.9	0.7
	T	3	-	3	5	60	55	117	62	51	65	421	24.1	1.3
Accidental Drowning and Submersion	M	-	2	1	-	7	1	9	4	3	4	31	2.7	0.2
	F	-	3	-	-	1	-	1	2	3	1	11	1.9	0.1
	T	-	5	1	-	8	1	10	6	6	5	42	2.4	0.1
Accidental Poisoning	M	-	-	-	-	-	12	72	25	2	2	113	9.7	0.8
	F	-	-	-	-	3	4	15	20	7	3	52	8.9	0.3
	T	-	-	-	-	3	16	87	45	9	5	165	9.4	0.6
Accidental Falls	M	-	-	2	1	3	2	1	17	27	133	186	16.0	0.8
	F	-	-	-	1	-	1	3	10	13	165	193	33.2	0.6
	T	-	-	2	2	3	3	4	27	40	298	379	21.7	0.7
Accidents Caused by Fire and Flames	M	1	2	1	-	-	-	2	7	3	1	17	1.5	0.1
	F	-	1	1	-	-	-	2	1	1	3	9	1.5	0.1
	T	1	3	2	-	-	-	4	8	4	4	26	1.5	0.1
Suicide	M	-	-	-	5	13	22	126	91	33	39	329	28.2	2.1
	F	-	-	-	2	3	4	43	29	8	8	97	16.7	0.6
	T	-	-	-	7	16	26	169	120	41	47	426	24.4	1.3
Homicide	M	-	-	-	1	2	4	18	10	2	2	39	3.3	0.3
	F	2	-	2	1	5	2	9	8	-	2	31	5.3	0.2
	T	2	-	2	2	7	6	27	18	2	4	70	4.0	0.2
Other	M	3	1	1	3	5	9	47	42	21	31	163	14.0	1.0
	F	-	-	1	1	1	-	9	11	9	24	56	9.6	0.3
	T	3	1	2	4	6	9	56	53	30	55	219	12.5	0.6
All External Causes	M	6	5	8	15	68	93	373	237	120	241	1,166	100.0	7.2
	F	3	4	4	5	35	23	101	102	63	242	582	100.0	2.9
	T	9	9	12	20	103	116	474	339	183	483	1,748	100.0	5.0

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 14 THOMPSON CARIBOO SHUSWAP
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	2	10	16	24	12	2	3	69	30.9	7.6
	F	-	1	-	-	8	4	14	2	3	2	34	40.5	4.0
	T	-	1	-	2	18	20	38	14	5	5	103	33.6	5.8
Accidental Drowning and Submersion	M	-	-	-	-	3	1	7	-	-	-	11	4.9	1.1
	F	-	1	-	-	-	1	-	-	-	-	2	2.4	0.2
	T	-	1	-	-	3	2	7	-	-	-	13	4.2	0.6
Accidental Poisoning	M	-	-	1	-	-	-	15	5	-	-	21	9.4	2.4
	F	-	-	-	-	-	-	7	1	-	-	8	9.5	0.9
	T	-	-	1	-	-	-	22	6	-	-	29	9.4	1.6
Accidental Falls	M	-	-	-	-	2	1	1	6	2	3	15	6.7	2.5
	F	-	-	-	-	1	-	1	1	-	6	9	10.7	1.6
	T	-	-	-	-	3	1	2	7	2	9	24	7.8	2.1
Accidents Caused by Fire and Flames	M	-	-	-	1	-	1	1	4	1	1	9	4.0	1.3
	F	-	-	-	1	-	-	-	1	-	-	2	2.4	0.2
	T	-	-	-	2	-	1	1	5	1	1	11	3.6	0.8
Suicide	M	-	-	-	1	10	9	18	7	1	-	46	20.6	4.8
	F	-	-	-	1	3	4	2	-	1	-	11	13.1	1.1
	T	-	-	-	2	13	13	20	7	2	-	57	18.6	2.9
Homicide	M	-	-	-	-	-	2	6	1	1	-	10	4.5	1.2
	F	-	-	-	-	2	2	5	-	-	-	9	10.7	0.9
	T	-	-	-	-	2	4	11	1	1	-	19	6.2	1.0
Other	M	2	-	2	1	7	1	18	8	2	1	42	18.8	4.9
	F	-	-	-	-	2	-	4	2	-	1	9	10.7	1.1
	T	2	-	2	1	9	1	22	10	2	2	51	16.6	3.0
All External Causes	M	2	-	3	5	32	31	90	43	9	8	223	100.0	25.8
	F	-	2	-	2	16	11	33	7	4	9	84	100.0	9.9
	T	2	2	3	7	48	42	123	50	13	17	307	100.0	17.8

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 14 THOMPSON CARIBOO SHUSWAP
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	3	5	6	38	35	105	81	21	24	318	31.6	3.1
	F	-	3	4	4	12	13	50	23	14	13	136	33.5	1.4
	T	-	6	9	10	50	48	155	104	35	37	454	32.1	2.2
Accidental Drowning and Submersion	M	-	2	-	1	3	4	8	5	1	2	26	2.6	0.3
	F	-	-	-	-	-	-	2	2	-	-	4	1.0	0.0
	T	-	2	-	1	3	4	10	7	1	2	30	2.1	0.1
Accidental Poisoning	M	-	-	-	1	2	8	72	31	2	1	117	11.6	1.2
	F	-	-	-	-	1	-	24	10	2	3	40	9.9	0.4
	T	-	-	-	1	3	8	96	41	4	4	157	11.1	0.8
Accidental Falls	M	-	-	-	1	1	3	9	14	13	56	97	9.6	1.0
	F	-	-	-	-	-	-	2	7	16	82	107	26.4	0.9
	T	-	-	-	1	1	3	11	21	29	138	204	14.4	0.9
Accidents Caused by Fire and Flames	M	-	-	1	-	-	-	4	1	1	3	10	1.0	0.1
	F	1	-	2	1	-	-	3	-	1	1	9	2.2	0.1
	T	1	-	3	1	-	-	7	1	2	4	19	1.3	0.1
Suicide	M	-	-	-	4	10	22	103	82	23	16	260	25.8	2.5
	F	-	-	-	1	3	3	15	17	4	7	50	12.3	0.4
	T	-	-	-	5	13	25	118	99	27	23	310	21.9	1.5
Homicide	M	1	3	-	-	-	3	14	11	-	2	34	3.4	0.3
	F	-	1	1	1	3	-	4	4	1	1	16	3.9	0.2
	T	1	4	1	1	3	3	18	15	1	3	50	3.5	0.2
Other	M	1	4	2	2	3	16	46	41	16	14	145	14.4	1.4
	F	-	1	-	1	2	-	13	11	6	10	44	10.8	0.4
	T	1	5	2	3	5	16	59	52	22	24	189	13.4	0.9
All External Causes	M	2	12	8	15	57	91	361	266	77	118	1,007	100.0	9.8
	F	1	5	7	8	21	16	113	74	44	117	406	100.0	3.7
	T	3	17	15	23	78	107	474	340	121	235	1,413	100.0	6.8

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 21 FRASER EAST
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	2	8	10	2	2	-	24	28.6	6.6
	F	-	1	2	-	-	3	7	3	-	16	44.4	3.2	
	T	-	1	2	-	2	11	17	5	2	-	40	33.3	4.8
Accidental Drowning and Submersion	M	-	-	-	-	-	-	3	2	-	5	6.0	1.3	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
	T	-	-	-	-	-	-	3	2	-	5	4.2	0.6	
Accidental Poisoning	M	-	-	-	-	-	2	12	6	-	20	23.8	5.3	
	F	-	-	-	-	-	-	4	2	1	7	19.4	1.9	
	T	-	-	-	-	-	2	16	8	1	27	22.5	3.5	
Accidental Falls	M	-	-	-	-	-	-	1	2	-	5	6.0	2.2	
	F	-	-	-	-	-	-	-	1	-	1	2.8	0.3	
	T	-	-	-	-	-	-	1	3	-	6	5.0	1.2	
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	1	-	-	1	2.8	0.2	
	T	-	-	-	-	-	-	1	-	-	1	0.8	0.1	
Suicide	M	-	-	-	-	1	1	7	3	1	13	15.5	3.6	
	F	-	-	-	1	1	2	2	2	-	8	22.2	1.7	
	T	-	-	-	1	2	3	9	5	1	21	17.5	2.6	
Homicide	M	-	1	-	-	-	2	1	-	1	5	6.0	1.5	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
	T	-	1	-	-	-	2	1	-	1	5	4.2	0.7	
Other	M	-	-	-	1	-	3	2	4	1	12	14.3	3.8	
	F	-	-	-	-	-	-	-	3	-	3	8.3	0.8	
	T	-	-	-	1	-	3	2	7	1	15	12.5	2.3	
All External Causes	M	-	1	-	1	3	16	36	19	5	84	100.0	24.3	
	F	-	1	2	1	1	5	14	11	1	36	100.0	8.2	
	T	-	2	2	2	4	21	50	30	6	120	100.0	15.9	

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 21 FRASER EAST
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	4	2	21	37	77	40	10	13	205	24.6	1.7
	F	-	1	-	2	14	11	24	13	13	14	92	24.2	0.7
	T	-	2	4	4	35	48	101	53	23	27	297	24.5	1.3
Accidental Drowning and Submersion	M	-	1	3	-	-	2	5	2	2	1	16	1.9	0.1
	F	-	1	-	-	-	-	1	1	-	-	3	0.8	0.0
	T	-	2	3	-	-	2	6	3	2	1	19	1.6	0.1
Accidental Poisoning	M	-	-	-	-	2	4	79	33	1	3	122	14.6	1.0
	F	-	-	-	-	1	3	30	9	-	1	44	11.6	0.4
	T	-	-	-	-	3	7	109	42	1	4	166	13.7	0.7
Accidental Falls	M	-	-	-	1	3	2	9	11	14	51	91	10.9	0.7
	F	-	1	-	-	1	-	1	5	5	78	91	23.9	0.5
	T	-	1	-	1	4	2	10	16	19	129	182	15.0	0.6
Accidents Caused by Fire and Flames	M	-	1	1	1	1	1	5	5	2	2	19	2.3	0.1
	F	-	-	1	-	1	-	4	1	-	-	7	1.8	0.1
	T	-	1	2	1	2	1	9	6	2	2	26	2.1	0.1
Suicide	M	-	-	1	1	12	18	92	49	24	19	216	25.9	1.8
	F	-	-	-	3	3	5	23	27	5	4	70	18.4	0.6
	T	-	-	1	4	15	23	115	76	29	23	286	23.6	1.2
Homicide	M	-	-	-	-	-	2	15	11	1	-	29	3.5	0.2
	F	2	-	1	-	1	1	7	4	-	3	19	5.0	0.2
	T	2	-	1	-	1	3	22	15	1	3	48	4.0	0.2
Other	M	-	-	-	2	3	9	63	32	11	15	135	16.2	1.1
	F	-	4	1	-	-	2	12	10	9	16	54	14.2	0.4
	T	-	4	1	2	3	11	75	42	20	31	189	15.6	0.8
All External Causes	M	-	3	9	7	42	75	345	183	65	104	833	100.0	6.9
	F	2	7	3	5	21	22	102	70	32	116	380	100.0	2.8
	T	2	10	12	12	63	97	447	253	97	220	1,213	100.0	4.9

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 22 FRASER NORTH
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	1	-	3	1	-	-	5	12.2	2.7
	F	-	-	-	-	-	-	3	-	-	-	3	10.3	1.2
	T	-	-	-	-	1	-	6	1	-	-	8	11.4	1.8
Accidental Drowning and Submersion	M	-	-	-	-	-	-	1	1	-	-	2	4.9	1.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	1	-	-	2	2.9	0.5
Accidental Poisoning	M	-	-	-	-	1	1	12	1	-	-	15	36.6	7.1
	F	-	-	-	-	-	-	8	1	1	-	10	34.5	5.0
	T	-	-	-	-	1	1	20	2	1	-	25	35.7	6.3
Accidental Falls	M	-	-	-	-	-	-	1	-	-	-	1	2.4	0.6
	F	-	-	-	-	-	-	1	-	1	3	5	17.2	10.0
	T	-	-	-	-	-	-	2	-	1	3	6	8.6	6.4
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	1	-	-	-	1	2.4	0.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	-	-	-	1	1.4	0.3
Suicide	M	-	-	-	-	-	3	6	2	-	-	11	26.8	5.6
	F	-	-	-	-	1	1	3	3	-	-	8	27.6	3.6
	T	-	-	-	-	1	4	9	5	-	-	19	27.1	4.5
Homicide	M	-	-	-	-	1	1	-	-	-	-	2	4.9	0.8
	F	1	-	-	-	1	-	-	-	-	-	2	6.9	0.6
	T	1	-	-	-	2	1	-	-	-	-	4	5.7	0.7
Other	M	-	-	-	-	-	1	1	1	-	1	4	9.8	6.3
	F	-	-	-	-	-	-	-	1	-	-	1	3.4	0.5
	T	-	-	-	-	-	1	1	2	-	1	5	7.1	2.7
All External Causes	M	-	-	-	-	3	6	25	6	-	1	41	100.0	24.9
	F	1	-	-	-	2	1	15	5	2	3	29	100.0	20.9
	T	1	-	-	-	5	7	40	11	2	4	70	100.0	23.2

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 22 FRASER NORTH
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	4	2	3	4	43	38	93	36	16	22	261	17.5	1.0
	F	-	1	1	2	15	10	22	30	14	20	115	18.5	0.4
	T	4	3	4	6	58	48	115	66	30	42	376	17.8	0.7
Accidental Drowning and Submersion	M	-	3	-	-	6	8	10	7	1	4	39	2.6	0.1
	F	-	-	-	-	-	1	1	2	1	1	6	1.0	0.0
	T	-	3	-	-	6	9	11	9	2	5	45	2.1	0.1
Accidental Poisoning	M	-	-	-	-	6	14	236	72	6	4	338	22.7	1.2
	F	-	-	-	-	1	4	40	14	5	1	65	10.5	0.2
	T	-	-	-	-	7	18	276	86	11	5	403	19.1	0.7
Accidental Falls	M	-	1	-	1	1	7	20	21	19	107	177	11.9	0.8
	F	-	-	-	-	-	-	5	7	15	149	176	28.4	0.5
	T	-	1	-	1	1	7	25	28	34	256	353	16.7	0.6
Accidents Caused by Fire and Flames	M	-	1	-	1	-	-	4	6	1	1	14	0.9	0.1
	F	-	1	4	1	-	1	1	2	3	4	17	2.7	0.1
	T	-	2	4	2	-	1	5	8	4	5	31	1.5	0.1
Suicide	M	-	-	-	1	12	30	197	132	36	27	435	29.2	1.6
	F	-	-	-	-	7	8	56	39	9	10	129	20.8	0.5
	T	-	-	-	1	19	38	253	171	45	37	564	26.7	1.0
Homicide	M	-	1	-	1	8	15	50	6	3	4	88	5.9	0.3
	F	-	1	-	1	1	6	14	3	1	3	30	4.8	0.1
	T	-	2	-	2	9	21	64	9	4	7	118	5.6	0.2
Other	M	1	1	-	1	5	10	45	23	20	34	140	9.4	0.6
	F	-	3	-	1	-	2	12	17	8	39	82	13.2	0.3
	T	1	4	-	2	5	12	57	40	28	73	222	10.5	0.4
All External Causes	M	5	9	3	9	81	122	655	303	102	203	1,492	100.0	5.6
	F	-	6	5	5	24	32	151	114	56	227	620	100.0	2.1
	T	5	15	8	14	105	154	806	417	158	430	2,112	100.0	3.8

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 23 FRASER SOUTH
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	1	-	3	2	1	-	-	-	7	18.4	2.9
	F	-	-	-	-	-	2	1	1	-	4	17.4	1.7	
	T	-	-	1	-	3	4	2	1	-	11	18.0	2.3	
Accidental Drowning and Submersion	M	-	-	-	-	-	-	1	1	-	2	5.3	1.9	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
	T	-	-	-	-	-	-	1	1	-	2	3.3	0.7	
Accidental Poisoning	M	-	-	-	-	-	2	10	-	-	12	31.6	5.8	
	F	-	-	-	-	1	1	7	1	-	10	43.5	4.2	
	T	-	-	-	-	1	3	17	1	-	22	36.1	5.0	
Accidental Falls	M	-	-	-	-	-	1	-	1	-	2	5.3	1.1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
	T	-	-	-	-	-	1	-	1	-	2	3.3	0.5	
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	1	-	-	1	2.6	0.5	
	F	-	-	-	-	-	-	2	-	-	2	8.7	0.7	
	T	-	-	-	-	-	-	3	-	-	3	4.9	0.6	
Suicide	M	-	-	-	-	-	1	8	1	-	10	26.3	5.5	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
	T	-	-	-	-	-	1	8	1	-	10	16.4	2.4	
Homicide	M	-	-	-	-	-	-	2	-	-	2	5.3	1.0	
	F	-	-	-	-	1	-	2	-	-	3	13.0	1.2	
	T	-	-	-	-	1	-	4	-	-	5	8.2	1.1	
Other	M	-	-	-	-	-	-	2	-	-	2	5.3	1.1	
	F	-	-	-	-	-	-	1	2	1	4	17.4	3.2	
	T	-	-	-	-	-	-	3	2	1	6	9.8	2.5	
All External Causes	M	-	-	1	-	3	6	25	3	-	38	100.0	19.8	
	F	-	-	-	-	2	3	13	4	1	23	100.0	11.0	
	T	-	-	1	-	5	9	38	7	1	61	100.0	15.1	

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 23 FRASER SOUTH
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	3	9	7	58	55	158	75	12	29	406	25.1	1.4
	F	-	1	8	7	16	17	34	34	16	21	154	23.3	0.5
	T	-	4	17	14	74	72	192	109	28	50	560	24.6	1.0
Accidental Drowning and Submersion	M	-	4	1	-	2	2	16	4	4	-	33	2.0	0.1
	F	1	1	-	2	-	1	2	1	-	-	8	1.2	0.0
	T	1	5	1	2	2	3	18	5	4	-	41	1.8	0.1
Accidental Poisoning	M	-	-	-	-	3	20	235	69	5	6	338	20.9	1.1
	F	-	-	-	-	3	8	34	21	2	2	70	10.6	0.2
	T	-	-	-	-	6	28	269	90	7	8	408	17.9	0.7
Accidental Falls	M	-	2	-	2	2	4	18	13	15	97	153	9.5	0.6
	F	-	-	-	-	1	-	2	6	11	146	166	25.1	0.4
	T	-	2	-	2	3	4	20	19	26	243	319	14.0	0.5
Accidents Caused by Fire and Flames	M	1	1	1	-	1	1	5	6	2	2	20	1.2	0.1
	F	-	1	-	1	-	-	1	8	2	-	13	2.0	0.0
	T	1	2	1	1	1	1	6	14	4	2	33	1.4	0.1
Suicide	M	-	-	-	1	23	41	171	121	18	30	405	25.0	1.4
	F	-	-	-	-	5	7	54	37	14	9	126	19.0	0.4
	T	-	-	-	1	28	48	225	158	32	39	531	23.3	0.9
Homicide	M	2	1	-	-	9	10	35	14	1	-	72	4.5	0.2
	F	1	1	2	2	4	4	21	3	3	3	44	6.6	0.1
	T	3	2	2	2	13	14	56	17	4	3	116	5.1	0.2
Other	M	3	1	-	4	5	7	79	48	12	31	190	11.8	0.7
	F	1	-	1	-	-	5	16	8	11	39	81	12.2	0.2
	T	4	1	1	4	5	12	95	56	23	70	271	11.9	0.4
All External Causes	M	6	12	11	14	103	140	717	350	69	195	1,617	100.0	5.6
	F	3	4	11	12	29	42	164	118	59	220	662	100.0	2.1
	T	9	16	22	26	132	182	881	468	128	415	2,279	100.0	3.8

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 31 RICHMOND
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	-	2	-	-	-	-	2	40.0	5.7
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	2	-	-	-	-	2	25.0	3.1
Accidental Drowning and Submersion	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Poisoning	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	1	33.3	2.3
	T	-	-	-	-	-	-	1	-	-	-	1	12.5	1.2
Accidental Falls	M	-	-	-	-	-	-	1	-	-	-	1	20.0	2.7
	F	-	-	-	-	-	-	-	-	-	1	1	33.3	14.0
	T	-	-	-	-	-	-	1	-	-	1	2	25.0	12.1
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	1	33.3	2.7
	T	-	-	-	-	-	-	1	-	-	-	1	12.5	1.3
Homicide	M	-	-	-	-	-	-	-	1	-	-	1	20.0	5.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	1	-	-	1	12.5	2.4
Other	M	-	-	-	-	-	1	-	-	-	-	1	20.0	2.8
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	-	-	-	-	1	12.5	1.6
All External Causes	M	-	-	-	-	-	3	1	1	-	-	5	100.0	16.8
	F	-	-	-	-	-	-	2	-	-	1	3	100.0	18.9
	T	-	-	-	-	-	3	3	1	-	1	8	100.0	21.7

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 31 RICHMOND
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	-	1	10	16	20	5	2	3	58	19.2	0.7
	F	-	-	-	1	8	5	4	4	7	7	36	21.1	0.4
	T	-	1	-	2	18	21	24	9	9	10	94	19.9	0.6
Accidental Drowning and Submersion	M	-	-	-	-	1	1	4	4	1	-	11	3.6	0.1
	F	1	1	-	-	-	1	-	-	1	-	4	2.3	0.1
	T	1	1	-	-	1	2	4	4	2	-	15	3.2	0.1
Accidental Poisoning	M	-	-	-	-	-	3	29	8	1	-	41	13.6	0.5
	F	-	-	-	-	-	1	9	-	-	1	11	6.4	0.1
	T	-	-	-	-	-	4	38	8	1	1	52	11.0	0.3
Accidental Falls	M	-	-	-	-	-	1	2	5	6	26	40	13.2	0.6
	F	-	-	-	-	-	1	-	1	-	47	49	28.7	0.5
	T	-	-	-	-	-	2	2	6	6	73	89	18.8	0.5
Accidents Caused by Fire and Flames	M	-	-	-	1	2	-	1	3	-	-	7	2.3	0.1
	F	-	-	-	-	1	-	-	-	-	1	2	1.2	0.0
	T	-	-	-	1	3	-	1	3	-	1	9	1.9	0.0
Suicide	M	-	-	-	1	1	4	35	31	10	6	88	29.1	1.0
	F	-	-	-	-	3	1	9	12	8	4	37	21.6	0.4
	T	-	-	-	1	4	5	44	43	18	10	125	26.4	0.7
Homicide	M	-	-	-	-	-	3	9	2	-	-	14	4.6	0.2
	F	-	-	-	-	-	1	-	2	-	-	3	1.8	0.0
	T	-	-	-	-	-	4	9	4	-	-	17	3.6	0.1
Other	M	-	-	-	1	2	3	14	7	5	11	43	14.2	0.6
	F	-	-	-	1	-	1	7	4	2	14	29	17.0	0.3
	T	-	-	-	2	2	4	21	11	7	25	72	15.2	0.4
All External Causes	M	-	1	-	4	16	31	114	65	25	46	302	100.0	3.7
	F	1	1	-	2	12	11	29	23	18	74	171	100.0	1.8
	T	1	2	-	6	28	42	143	88	43	120	473	100.0	2.7

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 32 VANCOUVER
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)									Total			
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	1	-	2	2	6	4	1	-	16	7.9	2.9
	F	-	-	-	-	1	-	7	4	1	-	13	8.8	2.3
	T	-	-	1	-	3	2	13	8	2	-	29	8.3	2.6
Accidental Drowning and Submersion	M	-	1	-	-	-	-	1	-	-	-	2	1.0	0.2
	F	-	-	-	-	-	-	-	1	-	-	1	0.7	0.1
	T	-	1	-	-	-	-	1	-	-	-	3	0.9	0.2
Accidental Poisoning	M	-	-	-	-	-	2	79	24	1	-	106	52.2	15.5
	F	-	-	-	-	5	4	70	15	-	-	94	63.5	13.0
	T	-	-	-	-	5	6	149	39	1	-	200	57.0	14.2
Accidental Falls	M	-	1	-	-	-	-	10	6	2	-	19	9.4	4.2
	F	-	-	1	-	-	-	2	2	1	2	8	5.4	2.7
	T	-	1	1	-	-	-	12	8	3	2	27	7.7	3.5
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	-	1	-	-	1	0.5	0.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	1	-	-	1	0.3	0.1
Suicide	M	-	-	-	-	1	2	19	2	-	-	24	11.8	3.2
	F	-	-	-	-	1	1	11	4	-	-	17	11.5	2.4
	T	-	-	-	-	2	3	30	6	-	-	41	11.7	2.8
Homicide	M	-	-	-	-	1	2	9	2	-	-	14	6.9	1.9
	F	-	-	-	-	-	1	4	3	-	-	8	5.4	1.1
	T	-	-	-	-	1	3	13	5	-	-	22	6.3	1.5
Other	M	-	-	-	-	-	3	11	7	-	-	21	10.3	3.7
	F	1	-	-	-	-	-	6	-	-	-	7	4.7	0.9
	T	1	-	-	-	-	3	17	7	-	-	28	8.0	2.3
All External Causes	M	-	2	1	-	4	11	135	46	4	-	203	100.0	31.9
	F	1	-	1	-	7	6	100	29	2	2	148	100.0	22.5
	T	1	2	2	-	11	17	235	75	6	2	351	100.0	27.2

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 32 VANCOUVER
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	1	1	4	23	31	71	65	16	32	245	9.5	0.8
	F	1	2	-	2	10	12	40	21	19	32	139	14.6	0.4
	T	2	3	1	6	33	43	111	86	35	64	384	10.9	0.6
Accidental Drowning and Submersion	M	-	-	-	-	1	7	18	8	7	4	45	1.7	0.1
	F	-	-	-	-	-	-	1	6	4	3	14	1.5	0.0
	T	-	-	-	-	1	7	19	14	11	7	59	1.7	0.1
Accidental Poisoning	M	-	-	-	1	8	35	639	251	27	5	966	37.5	2.9
	F	-	-	-	-	4	11	141	33	9	5	203	21.3	0.6
	T	-	-	-	1	12	46	780	284	36	10	1,169	33.1	1.8
Accidental Falls	M	1	-	-	-	4	8	37	55	43	163	311	12.1	1.1
	F	-	1	-	-	1	2	6	8	12	228	258	27.1	0.6
	T	1	1	-	-	5	10	43	63	55	391	569	16.1	0.8
Accidents Caused by Fire and Flames	M	-	-	-	1	-	3	6	8	-	4	22	0.9	0.1
	F	-	-	-	-	-	-	1	1	2	5	9	0.9	0.0
	T	-	-	-	1	-	3	7	9	2	9	31	0.9	0.0
Suicide	M	-	-	-	-	18	41	323	180	37	33	632	24.6	1.9
	F	-	-	-	1	5	9	63	61	23	23	185	19.4	0.6
	T	-	-	-	1	23	50	386	241	60	56	817	23.2	1.2
Homicide	M	-	-	2	-	10	20	81	26	4	2	145	5.6	0.5
	F	2	1	-	-	2	5	21	7	-	9	47	4.9	0.1
	T	2	1	2	-	12	25	102	33	4	11	192	5.4	0.3
Other	M	2	1	1	-	3	8	68	64	14	47	208	8.1	0.7
	F	-	-	1	-	2	7	15	20	10	43	98	10.3	0.3
	T	2	1	2	-	5	15	83	84	24	90	306	8.7	0.5
All External Causes	M	4	2	4	6	67	153	1,243	657	148	290	2,574	100.0	8.0
	F	3	4	1	3	24	46	288	157	79	348	953	100.0	2.6
	T	7	6	5	9	91	199	1,531	814	227	638	3,527	100.0	5.3

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 33 NORTH SHORE/COAST GARIBALDI
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	-	-	1	1	10	12	2	2	-	29	27.4	5.5
	F	-	-	-	1	1	1	3	2	1	-	9	32.1	1.8
	T	1	-	-	2	2	11	15	4	3	-	38	28.4	3.7
Accidental Drowning and Submersion	M	-	1	-	-	1	-	1	3	-	-	6	5.7	1.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	1	-	-	1	-	1	3	-	-	6	4.5	0.6
Accidental Poisoning	M	-	-	-	-	-	1	11	4	-	1	17	16.0	3.6
	F	-	-	-	-	1	-	1	3	-	-	5	17.9	0.9
	T	-	-	-	-	1	1	12	7	-	1	22	16.4	2.2
Accidental Falls	M	-	-	-	-	-	1	1	3	1	1	7	6.6	2.0
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	1	1	3	1	1	7	5.2	1.0
Accidents Caused by Fire and Flames	M	-	-	2	-	1	-	-	-	1	1	5	4.7	1.3
	F	-	-	-	-	-	-	-	-	1	-	1	3.6	0.4
	T	-	-	2	-	1	-	-	-	2	1	6	4.5	0.8
Suicide	M	-	-	-	2	4	3	8	4	-	-	21	19.8	3.6
	F	-	-	-	1	-	-	3	1	-	-	5	17.9	0.8
	T	-	-	-	3	4	3	11	5	-	-	26	19.4	2.2
Homicide	M	-	-	-	-	1	1	2	1	-	-	5	4.7	0.9
	F	-	-	-	-	-	1	1	1	-	-	3	10.7	0.6
	T	-	-	-	-	1	2	3	2	-	-	8	6.0	0.7
Other	M	-	-	-	-	-	2	5	7	2	-	16	15.1	3.8
	F	-	-	-	-	1	-	2	1	-	1	5	17.9	1.1
	T	-	-	-	-	1	2	7	8	2	1	21	15.7	2.5
All External Causes	M	1	1	2	3	8	18	40	24	6	3	106	100.0	21.9
	F	-	-	-	2	3	2	10	8	2	1	28	100.0	5.7
	T	1	1	2	5	11	20	50	32	8	4	134	100.0	13.6

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 33 NORTH SHORE/COAST GARIBALDI
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	1	2	17	26	43	20	6	11	126	18.3	1.0
	F	-	1	-	2	5	5	16	16	5	10	60	15.3	0.4
	T	-	1	1	4	22	31	59	36	11	21	186	17.2	0.7
Accidental Drowning and Submersion	M	-	1	-	1	2	1	9	9	2	-	25	3.6	0.2
	F	-	-	-	1	1	1	3	1	1	3	11	2.8	0.1
	T	-	1	-	2	3	2	12	10	3	3	36	3.3	0.1
Accidental Poisoning	M	-	-	-	-	4	6	68	22	1	1	102	14.8	0.8
	F	-	-	-	-	1	1	23	11	3	2	41	10.5	0.3
	T	-	-	-	-	5	7	91	33	4	3	143	13.2	0.5
Accidental Falls	M	-	-	1	-	2	9	5	16	11	58	102	14.8	0.7
	F	-	-	-	1	2	-	3	8	10	122	146	37.2	0.7
	T	-	-	1	1	4	9	8	24	21	180	248	22.9	0.8
Accidents Caused by Fire and Flames	M	-	-	-	-	-	1	4	-	4	1	10	1.4	0.1
	F	-	-	-	-	-	-	-	-	3	3	6	1.5	0.0
	T	-	-	-	-	-	1	4	-	7	4	16	1.5	0.1
Suicide	M	-	-	-	1	4	17	76	61	22	22	203	29.4	1.5
	F	-	-	-	-	-	6	26	31	5	10	78	19.9	0.5
	T	-	-	-	1	4	23	102	92	27	32	281	26.0	1.0
Homicide	M	-	-	-	-	-	2	9	5	-	1	17	2.5	0.1
	F	-	-	-	1	1	1	4	1	-	2	10	2.6	0.1
	T	-	-	-	1	1	3	13	6	-	3	27	2.5	0.1
Other	M	1	-	-	1	5	8	43	24	10	13	105	15.2	0.8
	F	2	-	-	1	1	1	4	7	5	19	40	10.2	0.2
	T	3	-	-	2	6	9	47	31	15	32	145	13.4	0.5
All External Causes	M	1	1	2	5	34	70	257	157	56	107	690	100.0	5.2
	F	2	1	-	6	11	15	79	75	32	171	392	100.0	2.3
	T	3	2	2	11	45	85	336	232	88	278	1,082	100.0	3.8

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 41 SOUTH VANCOUVER ISLAND
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)									Total			
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	4	3	3	1	-	-	11	15.9	2.9
	F	-	-	-	1	1	-	1	1	2	-	6	15.4	3.1
	T	-	-	-	1	5	3	4	2	2	-	17	15.7	3.0
Accidental Drowning and Submersion	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Poisoning	M	-	-	-	-	1	1	13	2	1	-	18	26.1	6.1
	F	-	-	-	-	-	2	7	2	-	-	11	28.2	3.1
	T	-	-	-	-	1	3	20	4	1	-	29	26.9	4.5
Accidental Falls	M	-	-	-	-	-	-	2	3	1	-	6	8.7	2.8
	F	-	-	-	-	-	-	-	1	-	3	4	10.3	3.1
	T	-	-	-	-	-	-	2	4	1	3	10	9.3	3.0
Accidents Caused by Fire and Flames	M	-	2	-	-	-	-	2	-	1	1	6	8.7	3.0
	F	-	-	-	-	-	-	1	-	-	-	1	2.6	0.2
	T	-	2	-	-	-	-	3	-	1	1	7	6.5	1.5
Suicide	M	-	-	-	-	5	2	11	-	-	-	18	26.1	4.8
	F	-	-	-	-	1	3	3	2	-	-	9	23.1	2.3
	T	-	-	-	-	6	5	14	2	-	-	27	25.0	3.5
Homicide	M	-	-	-	-	-	-	1	-	-	-	1	1.4	0.3
	F	-	-	-	-	-	1	2	-	-	-	3	7.7	0.7
	T	-	-	-	-	-	1	3	-	-	-	4	3.7	0.5
Other	M	-	1	1	-	-	-	4	1	2	-	9	13.0	4.1
	F	1	-	-	-	-	-	3	1	-	-	5	12.8	1.4
	T	1	1	1	-	-	-	7	2	2	-	14	13.0	2.7
All External Causes	M	-	3	1	-	10	6	36	7	5	1	69	100.0	23.9
	F	1	-	-	1	2	6	17	7	2	3	39	100.0	13.9
	T	1	3	1	1	12	12	53	14	7	4	108	100.0	18.6

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 41 SOUTH VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	1	3	9	18	39	23	9	13	115	10.2	0.7
	F	-	1	-	-	10	9	12	9	3	13	57	7.7	0.3
	T	-	1	1	3	19	27	51	32	12	26	172	9.2	0.5
Accidental Drowning and Submersion	M	-	-	-	1	3	3	12	9	5	2	35	3.1	0.2
	F	-	1	1	-	-	1	3	4	1	2	13	1.8	0.1
	T	-	1	1	1	3	4	15	13	6	4	48	2.6	0.1
Accidental Poisoning	M	-	-	-	-	8	13	153	68	8	1	251	22.2	1.4
	F	-	-	-	-	3	5	40	10	3	6	67	9.1	0.4
	T	-	-	-	-	11	18	193	78	11	7	318	17.0	0.9
Accidental Falls	M	-	-	-	-	6	3	15	15	23	172	234	20.7	1.0
	F	-	-	-	-	-	-	2	6	15	328	351	47.4	0.8
	T	-	-	-	-	6	3	17	21	38	500	585	31.3	0.9
Accidents Caused by Fire and Flames	M	-	-	-	-	1	-	1	5	2	2	11	1.0	0.1
	F	-	-	-	-	-	-	1	2	1	3	7	0.9	0.0
	T	-	-	-	-	1	-	2	7	3	5	18	1.0	0.0
Suicide	M	-	-	-	-	7	21	131	104	28	39	330	29.2	1.8
	F	-	-	-	-	5	4	41	47	15	22	134	18.1	0.6
	T	-	-	-	-	12	25	172	151	43	61	464	24.8	1.2
Homicide	M	-	-	-	-	4	2	19	8	1	1	35	3.1	0.2
	F	1	-	-	1	-	3	9	8	-	-	22	3.0	0.1
	T	1	-	-	1	4	5	28	16	1	1	57	3.0	0.2
Other	M	-	1	2	1	3	4	38	34	14	22	119	10.5	0.6
	F	-	1	-	2	2	1	6	8	15	54	89	12.0	0.3
	T	-	2	2	3	5	5	44	42	29	76	208	11.1	0.5
All External Causes	M	-	1	3	5	41	64	408	266	90	252	1,130	100.0	5.9
	F	1	3	1	3	20	23	114	94	53	428	740	100.0	2.6
	T	1	4	4	8	61	87	522	360	143	680	1,870	100.0	4.2

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 42 CENTRAL VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	2	-	2	6	4	13	2	2	-	31	25.6	4.5
	F	-	1	-	-	3	3	7	1	1	1	17	22.1	2.5
	T	-	3	-	2	9	7	20	3	3	1	48	24.2	3.5
Accidental Drowning and Submersion	M	-	-	-	-	1	-	1	1	-	-	3	2.5	0.5
	F	-	1	-	-	1	-	-	-	-	-	2	2.6	0.2
	T	-	1	-	-	2	-	1	1	-	-	5	2.5	0.3
Accidental Poisoning	M	-	-	-	-	-	-	5	3	-	-	8	6.6	1.4
	F	-	-	-	-	-	2	5	3	-	-	10	13.0	1.5
	T	-	-	-	-	-	2	10	6	-	-	18	9.1	1.4
Accidental Falls	M	-	-	-	-	-	-	2	2	-	-	4	3.3	0.8
	F	-	-	-	-	-	-	-	2	-	2	4	5.2	1.2
	T	-	-	-	-	-	-	2	4	-	2	8	4.0	1.0
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	1	-	-	1	2	1.7	0.6
	F	-	-	-	-	-	-	1	1	-	-	2	2.6	0.3
	T	-	-	-	-	-	-	2	1	-	1	4	2.0	0.4
Suicide	M	-	-	-	1	9	9	24	3	-	-	46	38.0	6.0
	F	-	-	-	1	4	4	11	4	-	-	24	31.2	3.0
	T	-	-	-	2	13	13	35	7	-	-	70	35.4	4.5
Homicide	M	-	1	-	-	2	3	5	2	-	-	13	10.7	1.7
	F	-	1	-	-	-	1	4	1	-	-	7	9.1	0.9
	T	-	2	-	-	2	4	9	3	-	-	20	10.1	1.3
Other	M	1	2	-	1	1	1	6	-	2	-	14	11.6	2.2
	F	1	2	-	-	-	-	5	1	1	1	11	14.3	1.7
	T	2	4	-	1	1	1	11	1	3	1	25	12.6	2.0
All External Causes	M	1	5	-	4	19	17	57	13	4	1	121	100.0	17.6
	F	1	5	-	1	8	10	33	13	2	4	77	100.0	11.2
	T	2	10	-	5	27	27	90	26	6	5	198	100.0	14.3

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 42 CENTRAL VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	2	5	27	38	61	39	12	26	211	23.8	1.9
	F	1	-	1	-	10	12	22	17	5	13	81	20.4	0.7
	T	1	1	3	5	37	50	83	56	17	39	292	22.7	1.3
Accidental Drowning and Submersion	M	-	-	-	2	2	3	9	4	1	1	22	2.5	0.2
	F	-	2	-	-	1	2	1	4	1	1	12	3.0	0.1
	T	-	2	-	2	3	5	10	8	2	2	34	2.6	0.1
Accidental Poisoning	M	-	1	-	-	4	4	81	30	-	2	122	13.8	1.1
	F	-	-	-	-	1	-	16	9	2	1	29	7.3	0.2
	T	-	1	-	-	5	4	97	39	2	3	151	11.8	0.7
Accidental Falls	M	1	-	-	-	4	2	6	11	12	80	116	13.1	0.8
	F	-	-	-	-	1	-	1	6	4	138	150	37.7	0.7
	T	1	-	-	-	5	2	7	17	16	218	266	20.7	0.8
Accidents Caused by Fire and Flames	M	-	-	-	-	1	1	-	5	-	3	10	1.1	0.1
	F	-	-	-	-	1	-	-	2	2	3	8	2.0	0.0
	T	-	-	-	-	2	1	-	7	2	6	18	1.4	0.1
Suicide	M	-	-	-	3	10	13	93	82	24	16	241	27.2	2.0
	F	-	-	-	1	3	2	27	24	4	4	65	16.3	0.5
	T	-	-	-	4	13	15	120	106	28	20	306	23.8	1.2
Homicide	M	-	-	-	-	2	1	11	5	5	1	25	2.8	0.2
	F	-	-	-	1	2	-	6	3	-	2	14	3.5	0.1
	T	-	-	-	1	4	1	17	8	5	3	39	3.0	0.2
Other	M	3	2	1	3	7	5	51	37	13	17	139	15.7	1.1
	F	-	-	-	1	1	2	6	6	4	19	39	9.8	0.3
	T	3	2	1	4	8	7	57	43	17	36	178	13.9	0.7
All External Causes	M	4	4	3	13	57	67	312	213	67	146	886	100.0	7.5
	F	1	2	1	3	20	18	79	71	22	181	398	100.0	2.7
	T	5	6	4	16	77	85	391	284	89	327	1,284	100.0	5.1

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 43 NORTH VANCOUVER ISLAND
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	2	2	6	1	-	-	11	16.4	3.1
	F	-	1	-	-	-	3	1	-	1	-	6	24.0	1.9
	T	-	1	-	-	2	5	7	1	1	-	17	18.5	2.4
Accidental Drowning and Submersion	M	-	-	-	-	1	1	2	1	-	-	5	7.5	1.4
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	1	1	2	1	-	-	5	5.4	0.6
Accidental Poisoning	M	-	-	-	1	-	11	6	-	-	-	19	28.4	6.0
	F	-	-	-	-	-	1	5	1	-	-	7	28.0	1.7
	T	-	-	-	1	-	2	16	7	-	-	26	28.3	3.8
Accidental Falls	M	-	-	-	-	-	-	2	-	1	-	3	4.5	1.6
	F	1	-	-	-	-	-	-	-	1	1	3	12.0	1.6
	T	1	-	-	-	-	-	2	-	2	1	6	6.5	1.6
Accidents Caused by Fire and Flames	M	-	-	-	-	1	-	-	1	-	-	2	3.0	0.5
	F	-	-	-	-	-	-	1	-	-	-	1	4.0	0.2
	T	-	-	-	-	1	-	1	1	-	-	3	3.3	0.4
Suicide	M	-	-	-	-	3	4	8	3	-	-	18	26.9	5.1
	F	-	-	-	-	1	1	-	1	-	-	3	12.0	0.7
	T	-	-	-	-	4	5	8	4	-	-	21	22.8	2.8
Homicide	M	-	-	-	-	-	-	1	-	-	-	1	1.5	0.3
	F	-	-	-	-	-	-	1	1	-	-	2	8.0	0.8
	T	-	-	-	-	-	-	2	1	-	-	3	3.3	0.5
Other	M	-	-	-	1	-	-	5	2	-	-	8	11.9	2.4
	F	-	1	-	-	-	-	1	-	-	1	3	12.0	1.2
	T	-	1	-	1	-	-	6	2	-	1	11	12.0	1.8
All External Causes	M	-	-	-	2	7	8	35	14	1	-	67	100.0	20.5
	F	1	2	-	-	1	5	9	3	2	2	25	100.0	8.1
	T	1	2	-	2	8	13	44	17	3	2	92	100.0	14.0

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 43 NORTH VANCOUVER ISLAND
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	-	1	17	15	41	13	4	4	96	18.8	1.8
	F	-	2	1	1	8	3	8	4	2	4	33	20.1	0.6
	T	-	3	1	2	25	18	49	17	6	8	129	19.1	1.2
Accidental Drowning and Submersion	M	-	1	-	-	6	1	7	4	3	2	24	4.7	0.4
	F	-	1	-	-	-	2	-	1	-	-	4	2.4	0.1
	T	-	2	-	-	6	3	7	5	3	2	28	4.1	0.3
Accidental Poisoning	M	-	-	-	-	2	4	52	16	1	1	76	14.8	1.3
	F	-	-	-	-	1	1	16	8	1	1	28	17.1	0.5
	T	-	-	-	-	3	5	68	24	2	2	104	15.4	0.9
Accidental Falls	M	-	1	-	-	1	-	4	7	7	29	49	9.6	0.9
	F	-	-	-	-	-	-	-	-	6	31	37	22.6	0.6
	T	-	1	-	-	1	-	4	7	13	60	86	12.7	0.8
Accidents Caused by Fire and Flames	M	-	1	1	-	-	-	2	1	-	1	6	1.2	0.1
	F	-	-	1	-	-	-	2	2	-	1	6	3.7	0.1
	T	-	1	2	-	-	-	4	3	-	2	12	1.8	0.1
Suicide	M	-	-	-	2	6	12	57	50	6	7	140	27.3	2.4
	F	-	-	-	-	1	-	15	7	4	-	27	16.5	0.5
	T	-	-	-	2	7	12	72	57	10	7	167	24.7	1.4
Homicide	M	-	-	2	2	-	2	5	2	-	-	13	2.5	0.2
	F	-	1	1	-	1	1	4	-	-	1	9	5.5	0.2
	T	-	1	3	2	1	3	9	2	-	1	22	3.3	0.2
Other	M	-	-	2	1	4	7	53	29	5	7	108	21.1	1.9
	F	1	-	-	-	-	-	1	8	5	5	20	12.2	0.3
	T	1	-	2	1	4	7	54	37	10	12	128	18.9	1.1
All External Causes	M	-	4	5	6	36	41	221	122	26	51	512	100.0	9.0
	F	1	4	3	1	11	7	46	30	18	43	164	100.0	2.8
	T	1	8	8	7	47	48	267	152	44	94	676	100.0	5.9

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 51 NORTHWEST
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	1	1	1	6	3	16	5	1	-	34	20.6	2.9
	F	-	-	-	1	2	4	3	2	-	1	13	21.0	1.1
	T	-	1	1	2	8	7	19	7	1	1	47	20.7	2.0
Accidental Drowning and Submersion	M	-	-	-	-	1	-	3	2	1	-	7	4.2	0.7
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	1	-	3	2	1	-	7	3.1	0.4
Accidental Poisoning	M	-	-	-	2	1	1	11	3	-	-	18	10.9	1.5
	F	-	-	-	-	-	1	8	2	2	-	13	21.0	1.3
	T	-	-	-	2	1	2	19	5	2	-	31	13.7	1.4
Accidental Falls	M	-	-	-	-	-	-	2	5	2	4	13	7.9	1.7
	F	-	-	-	-	-	-	-	1	3	5	9	14.5	1.5
	T	-	-	-	-	-	-	2	6	5	9	22	9.7	1.6
Accidents Caused by Fire and Flames	M	-	-	-	-	1	-	3	-	1	-	5	3.0	0.5
	F	-	-	-	-	-	-	1	-	-	1	2	3.2	0.3
	T	-	-	-	-	1	-	4	-	1	1	7	3.1	0.4
Suicide	M	-	-	-	-	4	8	19	5	1	-	37	22.4	3.1
	F	-	-	-	1	2	2	4	2	1	-	12	19.4	1.1
	T	-	-	-	1	6	10	23	7	2	-	49	21.6	2.1
Homicide	M	-	1	-	-	-	1	5	1	-	-	8	4.8	0.7
	F	-	-	-	-	1	-	1	-	-	-	2	3.2	0.1
	T	-	1	-	-	1	1	6	1	-	-	10	4.4	0.4
Other	M	-	-	1	-	1	3	16	18	2	2	43	26.1	4.4
	F	-	2	-	-	-	1	5	1	1	1	11	17.7	1.0
	T	-	2	1	-	1	4	21	19	3	3	54	23.8	2.7
All External Causes	M	-	2	2	3	14	16	75	39	8	6	165	100.0	15.6
	F	-	2	-	2	5	8	22	8	7	8	62	100.0	6.5
	T	-	4	2	5	19	24	97	47	15	14	227	100.0	11.0

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 51 NORTHWEST
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	3	3	2	12	15	43	16	3	-	98	28.4	2.6
	F	-	-	1	1	8	3	6	3	-	3	25	35.7	0.8
	T	1	3	4	3	20	18	49	19	3	3	123	29.6	1.8
Accidental Drowning and Submersion	M	-	-	2	-	1	-	5	3	-	-	11	3.2	0.3
	F	-	-	1	-	-	-	-	-	1	-	2	2.9	0.1
	T	-	-	3	-	1	-	5	3	1	-	13	3.1	0.2
Accidental Poisoning	M	-	-	-	-	-	-	19	10	2	-	31	9.0	0.8
	F	-	-	-	-	-	-	3	2	-	-	5	7.1	0.1
	T	-	-	-	-	-	-	22	12	2	-	36	8.7	0.5
Accidental Falls	M	-	-	-	-	-	-	1	3	1	11	16	4.6	0.9
	F	-	-	-	-	-	-	-	1	2	10	13	18.6	0.6
	T	-	-	-	-	-	-	1	4	3	21	29	7.0	0.8
Accidents Caused by Fire and Flames	M	-	1	-	1	-	2	-	4	1	-	9	2.6	0.2
	F	-	-	-	-	2	-	-	1	-	-	3	4.3	0.1
	T	-	1	-	1	2	2	-	5	1	-	12	2.9	0.2
Suicide	M	-	-	-	-	-	9	30	34	7	1	81	23.5	2.2
	F	-	-	-	-	-	2	6	4	-	-	12	17.1	0.3
	T	-	-	-	-	-	11	36	38	7	1	93	22.4	1.3
Homicide	M	-	-	-	-	-	3	7	2	1	1	14	4.1	0.4
	F	-	-	-	-	-	-	1	-	-	-	1	1.4	0.0
	T	-	-	-	-	-	3	8	2	1	1	15	3.6	0.2
Other	M	-	-	1	1	8	5	38	25	3	4	85	24.6	2.3
	F	-	-	-	2	1	-	1	1	-	4	9	12.9	0.3
	T	-	-	1	3	9	5	39	26	3	8	94	22.7	1.4
All External Causes	M	1	4	6	4	21	34	143	97	18	17	345	100.0	9.7
	F	-	-	2	3	11	5	17	12	3	17	70	100.0	2.4
	T	1	4	8	7	32	39	160	109	21	34	415	100.0	6.3

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 52 NORTHERN INTERIOR
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	1	3	6	20	6	1	2	39	28.1	7.4
	F	-	1	1	-	3	3	8	4	1	-	21	32.3	3.8
	T	-	1	1	1	6	9	28	10	2	2	60	29.4	5.5
Accidental Drowning and Submersion	M	-	1	-	-	-	3	4	-	-	-	8	5.8	1.2
	F	-	1	-	-	-	-	-	-	-	-	1	1.5	0.1
	T	-	2	-	-	-	3	4	-	-	-	9	4.4	0.6
Accidental Poisoning	M	-	-	-	-	1	-	13	5	1	-	20	14.4	4.1
	F	-	-	-	-	-	1	8	3	-	-	12	18.5	2.1
	T	-	-	-	-	1	1	21	8	1	-	32	15.7	3.0
Accidental Falls	M	-	-	-	-	1	-	1	2	1	1	6	4.3	1.9
	F	-	-	-	-	-	-	-	4	-	2	6	9.2	2.1
	T	-	-	-	-	1	-	1	6	1	3	12	5.9	2.0
Accidents Caused by Fire and Flames	M	-	-	-	-	2	1	-	-	-	-	3	2.2	0.4
	F	-	-	1	-	-	-	1	-	-	-	2	3.1	0.2
	T	-	-	1	-	2	1	1	-	-	-	5	2.5	0.3
Suicide	M	-	-	-	-	4	6	22	-	2	-	34	24.5	6.0
	F	-	-	-	-	3	1	3	-	-	-	7	10.8	0.9
	T	-	-	-	-	7	7	25	-	2	-	41	20.1	3.4
Homicide	M	-	-	1	-	-	4	6	3	-	-	14	10.1	2.4
	F	-	1	-	-	2	1	4	-	-	-	8	12.3	1.1
	T	-	1	1	-	2	5	10	3	-	-	22	10.8	1.7
Other	M	-	-	-	-	-	-	10	4	1	-	15	10.8	3.3
	F	-	1	-	-	-	-	4	3	-	-	8	12.3	1.5
	T	-	1	-	-	-	-	14	7	1	-	23	11.3	2.3
All External Causes	M	-	1	1	1	11	20	76	20	6	3	139	100.0	26.5
	F	-	4	2	-	8	6	28	14	1	2	65	100.0	11.8
	T	-	5	3	1	19	26	104	34	7	5	204	100.0	18.8

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 52 NORTHERN INTERIOR
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	1	1	3	6	30	39	76	51	10	12	229	33.0	3.0
	F	1	2	5	3	19	5	23	17	6	6	87	41.4	1.2
	T	2	3	8	9	49	44	99	68	16	18	316	35.0	2.1
Accidental Drowning and Submersion	M	1	3	-	1	6	1	8	2	1	1	24	3.5	0.3
	F	-	1	-	-	-	-	1	1	-	-	3	1.4	0.0
	T	1	4	-	1	6	1	9	3	1	1	27	3.0	0.2
Accidental Poisoning	M	-	1	-	-	2	4	31	17	2	1	58	8.4	0.7
	F	-	-	-	1	2	2	12	6	-	-	23	11.0	0.3
	T	-	1	-	1	4	6	43	23	2	1	81	9.0	0.5
Accidental Falls	M	-	-	-	-	-	-	4	6	4	18	32	4.6	0.7
	F	-	-	-	-	-	-	3	3	3	35	44	21.0	0.9
	T	-	-	-	-	-	-	7	9	7	53	76	8.4	0.8
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	3	3	4	2	12	1.7	0.2
	F	-	-	-	1	-	-	3	2	-	-	6	2.9	0.1
	T	-	-	-	1	-	-	6	5	4	2	18	2.0	0.1
Suicide	M	-	-	-	2	9	13	73	53	4	3	157	22.6	2.0
	F	-	-	-	1	-	2	8	6	1	1	19	9.0	0.3
	T	-	-	-	3	9	15	81	59	5	4	176	19.5	1.1
Homicide	M	1	-	-	-	4	5	18	9	2	-	39	5.6	0.5
	F	-	-	-	-	2	-	4	2	-	-	8	3.8	0.1
	T	1	-	-	-	6	5	22	11	2	-	47	5.2	0.3
Other	M	1	-	3	1	7	6	51	47	14	13	143	20.6	2.0
	F	1	-	-	-	1	2	6	5	-	5	20	9.5	0.3
	T	2	-	3	1	8	8	57	52	14	18	163	18.0	1.2
All External Causes	M	4	5	6	10	58	68	264	188	41	50	694	100.0	9.5
	F	2	3	5	6	24	11	60	42	10	47	210	100.0	3.2
	T	6	8	11	16	82	79	324	230	51	97	904	100.0	6.4

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
STATUS INDIANS - 53 NORTHEAST
 BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	-	-	-	1	10	3	4	-	18	50.0	15.6
	F	-	-	-	-	3	-	5	3	-	-	11	50.0	5.1
	T	-	-	-	-	3	1	15	6	4	-	29	50.0	9.4
Accidental Drowning and Submersion	M	-	-	-	-	-	-	-	1	-	-	1	2.8	0.6
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	1	-	-	1	1.7	0.3
Accidental Poisoning	M	-	-	-	-	-	-	2	1	-	-	3	8.3	1.6
	F	-	-	-	-	-	1	3	1	-	-	5	22.7	2.2
	T	-	-	-	-	-	1	5	2	-	-	8	13.8	1.9
Accidental Falls	M	-	1	-	-	-	-	-	-	-	-	1	2.8	0.2
	F	-	-	-	-	-	-	-	-	-	1	1	4.5	1.3
	T	-	1	-	-	-	-	-	-	-	1	2	3.4	0.8
Accidents Caused by Fire and Flames	M	-	2	-	-	-	-	-	1	-	-	3	8.3	1.0
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	2	-	-	-	-	-	1	-	-	3	5.2	0.5
Suicide	M	-	-	-	-	-	2	1	-	-	-	3	8.3	1.4
	F	-	-	-	-	1	-	-	-	-	-	1	4.5	0.4
	T	-	-	-	-	1	2	1	-	-	-	4	6.9	0.8
Homicide	M	-	-	-	-	-	-	3	2	-	-	5	13.9	3.6
	F	-	-	-	-	-	-	1	1	-	-	2	9.1	1.2
	T	-	-	-	-	-	-	4	3	-	-	7	12.1	2.3
Other	M	-	-	-	-	1	1	-	-	-	-	2	5.6	0.8
	F	-	-	-	-	-	-	2	-	-	-	2	9.1	0.9
	T	-	-	-	-	1	1	2	-	-	-	4	6.9	0.9
All External Causes	M	-	3	-	-	1	4	16	8	4	-	36	100.0	24.8
	F	-	-	-	-	4	1	11	5	-	1	22	100.0	11.1
	T	-	3	-	-	5	5	27	13	4	1	58	100.0	16.9

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
 Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.

EXTERNAL CAUSES OF DEATH BY HEALTH SERVICE DELIVERY AREA, GENDER, AND AGE GROUP
OTHER RESIDENTS - 53 NORTHEAST
BRITISH COLUMBIA, 1992 - 2002

Causes of Death	Gender	Age Group (in years)										Total		
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Motor Vehicle Accidents	M	-	-	3	-	17	21	41	16	7	2	107	39.8	3.3
	F	-	3	-	1	6	4	9	1	2	-	26	37.1	0.8
	T	-	3	3	1	23	25	50	17	9	2	133	39.2	2.1
Accidental Drowning and Submersion	M	-	1	-	-	1	2	2	2	-	-	8	3.0	0.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	1	-	-	1	2	2	2	-	-	8	2.4	0.1
Accidental Poisoning	M	-	-	-	-	-	1	8	7	-	-	16	5.9	0.4
	F	-	-	-	-	-	-	3	1	-	-	4	5.7	0.1
	T	-	-	-	-	-	1	11	8	-	-	20	5.9	0.3
Accidental Falls	M	-	-	-	-	-	-	2	1	4	19	26	9.7	1.5
	F	-	-	-	-	-	-	-	-	3	10	13	18.6	0.7
	T	-	-	-	-	-	-	2	1	7	29	39	11.5	1.0
Accidents Caused by Fire and Flames	M	-	-	-	-	-	-	1	2	-	1	4	1.5	0.2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	1	2	-	1	4	1.2	0.1
Suicide	M	-	-	-	2	3	3	21	21	2	-	52	19.3	1.5
	F	-	-	-	-	-	1	7	4	-	-	12	17.1	0.4
	T	-	-	-	2	3	4	28	25	2	-	64	18.9	1.0
Homicide	M	-	1	-	-	-	2	6	2	-	-	11	4.1	0.3
	F	-	-	-	-	-	-	1	-	-	-	1	1.4	0.0
	T	-	1	-	-	-	2	7	2	-	-	12	3.5	0.2
Other	M	-	-	1	1	6	4	11	13	6	3	45	16.7	1.5
	F	-	2	-	-	1	3	2	2	-	4	14	20.0	0.5
	T	-	2	1	1	7	7	13	15	6	7	59	17.4	1.0
All External Causes	M	-	2	4	3	27	33	92	64	19	25	269	100.0	9.0
	F	-	5	-	1	7	8	22	8	5	14	70	100.0	2.6
	T	-	7	4	4	34	41	114	72	24	39	339	100.0	5.9

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Service Delivery Areas will not sum to B.C. due to cases with unknown addresses.